

Republic of the Philippines

Department of Education

Cordillera Administrative Region

REQUEST FOR QUOTATION

(RFQ No. 2025-07-473)

Negotiated Procurement - Two Failed Bidding DepEd-CAR RO CB 2025-05-007.2

PROJECT: REBIDDING OF SUPPLY AND DOOR-TO-DOOR DELIVERY OF FY 2025 LEARNING TOOLS AND EQUIPMENT FOR TECHNICAL-VOCATIONAL-LIVELIHOOD (LTE-TVL) - LOT 4 FOR DEPED-CAR

INVITATION

Date: August 7, 2025

To All Prospective Suppliers:

The DepED-CAR Regional Office, through its Bids and Awards Committee (BAC), invites your company to engage in Negotiated Procurement – Two Failed Bidding (Section 41 of the IRR of RA 9184) for the PROJECT: **REBIDDING OF SUPPLY AND DOOR-TO-DOOR DELIVERY OF FY 2025 LEARNING TOOLS AND EQUIPMENT FOR TECHNICAL-VOCATIONAL-LIVELIHOOD (LTE-TVL) - LOT 4 FOR DEPED-CAR.**

This RFQ is composed of one (1) lot and shall be awarded as one project. The quotations should be *inclusive* of tax. The total approved Budget for the project is One Million Four Hundred Fifty One Thousand One Hundred Twenty Pesos and 16/100 Only (Php 1,451,120.16). Delivery of the Goods is required by within ninety (90) calendar days upon receipt of Notice to Proceed (NTP).

The DepEd-CAR RO will hold a Pre-Bid Conference on August 14, 2025 at 10:00 AM at the OARD, DepEd-CAR RO, Wangal, La Trinidad, Benguet, which shall be open to prospective bidders

Submission of the original quotation with the eligibility requirements duly signed by the owner/proprietor or his/her authorized representative should be made in a sealed envelope on or before 10:30 AM of August 26, 2025. Submission should be through courier or hand-delivery to the address below:

RONALD B. CASTILLO, CESO V

BAC Chairperson Procurement Unit Office (BAC Secretariat Office) DepED-CAR Regional Office, Wangal, La Trinidad, Benguet

For inquiries, kindly contact any of the BAC Secretariat: Atty. Edward, Randolph Flyn, or Edralyn at DepED-CAR RO, Wangal, La Trinidad, Benguet with telephone number (074) 422-1318 / mobile number 0920-793-0509, and email address car.procurement@deped.gov.ph. Upon receipt of the quotation/s on the submission deadline, the BAC shall open the quotations.

Very truly yours,

RONALD B.CASTILLO, CESO V

BAC Chairperson







Address: Wangal, La Trinidad, Benguet, 2601

Telephone No: (074) 422 – 1318 | Fax No.: (074) 422-4074 Website:www.depedcar.ph| Email Address:car@deped.gov.ph

I. QUOTATION FORM (RFQ No. 2025-07-473)

Negotiated Procurement – Two Failed Bidding DepEd-CAR RO CB 2025-05-007.2

PROJECT: REBIDDING OF SUPPLY AND DOOR-TO-DOOR DELIVERY OF FY 2025 LEARNING TOOLS AND EQUIPMENT FOR TECHNICAL-VOCATIONAL-LIVELIHOOD (LTE-TVL) - LOT 4 FOR DEPED-CAR

Approved Budget to the Contract: Php 1,451,120.16

item No.	Item Name	Design Specification:	Unit	Qty	Statement of Compliance (State whether you comply or not comply)	state the brand and model of the specifying product offered with an attachment of official brochure or unamended sales literature	Unit Price	Total Price
	Shielded Met	tal Arc Welding (SMAW) NCI and NC	TI .					
1.	Anvil	Type: Forging Type Body shape: Rectangular with horn Material: Cast Iron Anvil Face Dimension: 5-1/2" X 2" Horn Length: 3-1/2" Height: 4" Weight: 9 LBS	pc	12				
2.	Apron, Leather	Type: Longer Bib Style with single pocket in front Material: Plain Leather Size: 400mm width x 1027mm length (approx.) Furnished with metal grommets and leather ties With steel-staple reinforcement at stress points	pc	30				
3.	Brush, Steel	Material: Steel Wire Handle: Wood Brush Length: 5 inches	рс	30				

		011 741 10 :1		· · · ·				т	· · · · · · · · · · · · · · · · · · ·
	ļ	Over-all Length: 10 inches							
ļ		Bristle length: 1 inch (minimum)		ļ					
	Disc Grinder,	Type: Angle grinder							
	Portable,	Material: Plastic body							
	Electric	Rated Input Power: 900W							
		Disc Diameter: 100mm, 100mm(4")							
		Rated Voltage: 220V-240V							
		No-Load Speed: 12000 RPM							
		Package Includes:							
		(1) 4-1/2 In. Angle Grinder, (1)							
		Grinding Wheel Guard, (1) Auxiliary							
4.		Handle, (1) Inner (Clamping) Flange, (1)	pc	12					
4.		Outer (Round Nut) Flange, (1) Spanner	pc	12					
		Wrench, (1) 4 In. Abrasive Grinding							
		Wheel							ŀ
							İ		
		With Plastic Storage Box							
		With user's manual written in English							
		that contains operating procedure,							
		parts with description, safety							
		procedure, and maintenance;							
		Warranty period of 1 year;							
	Fan, Exhaust	Industrial Exhaust Fan Power							
		600watts Diameter 24inches Airflow							
		5000 per minute							1
		Single Phase, 220-230V, 60Hz,							į
5.		1500rpm		6					
3.		With user's manual written in English	рc	0					
		that contains operating procedure,							
		parts with description, safety							
		procedure, and maintenance;							
		Warranty period of 1 year							
	Fan,	Type: 3 speed control Industrial high							
	Industrial	speed Pedestal Stand Fan							
6.		Material: Metal	рc	6					ļ
		Power Source: Electric							
L	<u> </u>	I a with a second discount of		L	<u> </u>	<u></u>			

		T		· · · · · · · · · · · · · · · · · · ·				1	
		Power (W): 100W			j				
		Voltage (V): 220V						}	
		Size: 20 x 26 x 30 Inch						j	
		Air Volume: 7000~16200 m3/h							
		Speed: 1350 RPM							
		Motor Type: AC Copper motor							
		Blade: 3 Alumimium Blades					-		
		With user's manual written in English				i			
1		that contains operating procedure,						İ	
		parts with description, safety							
		procedure, and maintenance;							
		Warranty period of 1 year;					1		_
-	Gas Cutting	Applicable Gas: oxygen and acetylene							
	Machine,	Application: medium-volume soldering							
	Automatic	Capacity: cutting up to 3/4" (19.1mm)			'				
		plate welding up to 1/8" (3.2mm) plate							
		Light duty regulator: forged full brass							
		body with durability Touch handle:		1					
		stainless steel needle							
-		valves with accuracy	-						
		Oxygen Inlet: GCA540							
		Oxygen Outlet: 9/16"-18							
		Acetylene Inlet: GCA200"							
7.		MC" TANK	рс	6					
1'		Acetylene Outlet: 9/16"-18	P°				1		
		Oxygen Cylinder: 4L(20 CU.FT.)					İ		
		CGA540							
1		Acetylene Cylinder: 2L(10 CU.FT.)							
		CGA200				•			
1		Welding Tips: 80V #1, #2							
		Cutting Tip: 1-2-101							
		Acetylene Tank Connector: CGA-510							
		Fits all Acetylene Cylinders EXCEPT						·	
	:	Sizes MC and B Acetylene Cylinders *							
		Oxygen Tank Connector: CGA-540 Fits					1		
1		Oxygen rank Connector. CGA-340 Fits	<u>L</u>	<u> </u>	<u> </u>	<u> </u>			L

		all American Oxygen Cylinders. Ideal for many occasions such as welding, soldering, brazing, rivet cutting, hard-facing and metal heating process. Packaging: Carton Box; English user's manual that contains: Operation guide, maintenance /					
		troubleshooting guide, safety guide and list of parts.					
8.	Gauge, Fillet	Type: Fillet weld gauge Material: Stainless Steel blades, polished Fillet Weld Sizes: 1/8 inch through 1 inch Gauges has inch and metric readings Size: 4-1/2 inches x 2 inches Includes plastic carrying case	pc	12			
9.	Gloves, Leather, Long	Type: Flexible leather welder's gloves Length: 350mm size 14-16 Material: Cow hide split leather With spark protector patch covering back, thumb patch, index finger patch, thumb strap and chrome-leather gauntlet cuff	рc	24			
10.	Goggles, Oxy- acetylene	Type: Flip-up Welders Glasses Lens: Shaded rating # 5 Clear lenses underneath plus integral top and opaque side shields Conforms to ANSI standard Z87.1 permanently marked on the lense or goggles Clear Lens Size: 52 mm (minimum) Shaded Lens: 50 mm (minimum) Packed in a plastic pouch	pc	12			

	Goggles, Safety	Safety goggles; Clear Polycarbonate - one piece lens with 180° panoramic view, non-fog;				
11.		Size/Dimension: L: 17 to 18.5 cm x W: 8 cm x D: 5 to 7.5 cm; High impact resistant, ANSI "Z87" compliant; Firm and comfortable seal around forehead, cheeks, nose and temples protects against splash, chemicals, dust; Adjustable head strap; Shall bear mark Z87 embossed or engraved or etched on the item.	pc	12		
12.	Grinding Machine, Bench, Pedestal	Type: Bench type / Pedestal Material: Steel, rubber, and hard plastic Rated voltage: 220 / 240 volts, AC Capacity: 8-10" 600-750watts 1 HP Frequency: 60 hertz Speed: 3,450 RPM maximum Comes with 1.5 meters power cord with molded male plug; Comes with spanner wrench, chuck key, 360 degrees auxiliary handle, inner flange and lock nut; With English user's manual that contains: Operation guide, maintenance / troubleshooting guide, safety guide and list of parts; Warranty period for parts and service: 1 year.	pc	6		

	Hacksaw,	Voltage: 220V 240V EO 60U-	Ι	ı		· 1	-
	Power	Voltage: 220V-240V 50-60Hz	}				
	Power	Input power: 2400W				İ	
		Blade size:355x25 4x3mm		•			
		No-load speed: 3900rpm	İ	ļ			
		Max cutting capacity:					
		100mm in round pipe			1		
		100X100mm in square steel					
13.		120X100mm in rectangle	рс	6			
		Max cutting steel bar:50mm	10				
		With 1pcs 355mm cutting disc					
		Complete with a set of required tools					
		and toolbox;					
		With user's manual written in English					
		that contains operating procedure,		<u>.</u>			
		parts with description, safety					
		procedure, and maintenance;				 	
	Hammer, Ball	Type: Ball face;					
	Peen, 12 oz.	Material: High Carbon Steel					
		Handle material: Hard wood with		18			
14.		natural color	pc			į	
- ''		Head weight: 12 oz. (etched/engraved	l bc	10			
		on the head)					
		Overall Length: 10 inches (minimum)					
		Fully polished head					
	Hammer,	Head Type: Chisel and Cone					
	Chipping	Material: Forged Steel Head					
15.		Handle: Hardwood	рс	18			
10.		Head Length: 7 3/4"	pc	10			
		12 inches Overall Length					
		Comes with a vinyl storage pouch					
	Hand File,	Material: High Carbon Steel					
	Bastard Cut	Type: Bastard Cut, Double Cut on					
16.		both sides and single cut on both	рc	24			
		edges					
<u></u>		Slightly tapered in width and					

	Hand File,	thickness • Length: 12 inches • Size: 1 5/32 inch.W x 9/32 inch.T • Furnished with plastic handle • Material: High Carbon Steel					
17.	half round	 Type: Half Round File, Bastard Cut, Double cut on back Over-all Length: 12 inches Size: 1-1/8 inches W x 11/32 inches T Furnished with plastic handle 	pc	24			
18.	Head Shield / Helmet	Visor type: Auto Darkening, shading # Color: Black Adjustable ratcheted headband with quality foam head-strap Battery type: Lithium (included) Viewing Area: 3.7 x 1.73 inch (minimum) Light Shade: DIN4 Dark State: DIN9-13 DIN4 and DIN 9-13 should be permanently marked on the welding mask or its equivalent Delay Time Setting: (Slow/Fast): 0.2 s - 0.8s UV Penetration: < 0.003 @ 313mm - 365 mm IR Penetration: < 0.027 @ 780mm - 1300 mm/ < 0.085 @ 1300 mm - 2000 mm Comes with a vinyl storage pouch With user's manual written in English that contains operating procedure, parts with description, safety	pc	24			

**

			·	Γ	1	 	
•		procedure, and maintenance.					
<u> </u>		Warranty period of 1 year.					
19.	Plier/Tong	 Material: Forged Steel with a black painted finished Type: Single Pick up Tongs Lip Size: 3/8 inch thick x 7/8 inch wide (minimum) Over-all Length: 16 inches (minimum) Jaw Length: 3-3/4 inches (minimum) 	рс	24			
20.	Steel square 300mm.long	Type: Metric Body Shape: L-shape Blade Material: Stainless steel Blade Length: 300 mm Graduation: 1mm Blade Width: 30 mm(minimum) Blade Thickness: 1 mm(minimum) Handle Length: 150 mm(minimum) Graduation are marked permanently Numbers and graduations are engraved and filled with black or red color Packed in a plastic pouch	рс	24			
21.	Try Square, 300mm long	Blade Material: Aluminum, machined & parallel Blade Length: 300 mm Blade Width: 30 mm(minimum) Blade Thickness: 1 mm(minimum) Handle Length: 124 mm(minimum) Graduation are marked permanently in Metric and English scale Numbers and graduations are cut and filled with black or red color Packed in a plastic pouch	pc	30			

22.	Welding Positioner	1. Type: Rotary; 2. Body shape: Rectangular with round chuck; 3. Material: Steel Input voltage: 220V/50HZ; 4. Load capacity 0 ° / 90 °: 5/10kg 5. Table diameter: 310mm (minimum); 6. Worktable height: 380 to 50mm; 7. Worktable speed: 1-15RPM; 8. Table turning angle: 0-90 °; 9. Rotary motor: 80W; 10. Central Hole Diameter: 25.4mm; 11. Rotary Method: Manual Activation; 12. 200 mm Diameter 3 jaw Welding Chuck; 13. Must be stable; 14. With Anti-slip foot switch; 15. With Time Controller Box; 16. Furnished with Welding torch bracket; 17. With user's manual written in English that contains operating	рc	12					
		English that contains operating procedure, parts with description, safety procedure, and maintenance.							
	NOTE: For tools	or equipment powered by electricity or fuel, the	e bross	<u> </u>	nodel of the it	em /amit offer	red muset be		
		or equipment powered by electricity of fuel, in ocal market. Original Equipment Manufacture							
23.		l be grounds for disqualification. On the other							
		, Original Equipment Manufacturer (OEM) or							
		, , , , , , , , , , , , , , , , , , , ,				TOTAL:			L.
	Despectfully :	eturned to the Chairman of the BAC	Dent	A CA	D DO with	I	Jaroirra of t	ord horoin or	oted All

Respectfully returned to the Chairman of the BAC, DepEd-CAR RO, with prices (inclusive of tax) herein quoted. All requirements/terms/conditions specified by that Office in this RFQ (Section I and Section II) are hereby accepted.

Name of Business	and	Signature	of Supplier
Contact	No.		

II. <u>TERMS AND CONDITIONS</u> (RFQ No. 2025-07-473)

Negotiated Procurement – Two Failed Bidding DepEd-CAR RO CB 2025-05-007.2

A. Submission of Quotations

The Requests for Quotation documents can be emailed upon request. Copies are also available at the Procurement Unit of the DepEd-CAR Regional Office from Mondays to Fridays, from 8:00 AM to 5:00 PM.

Quotations and other requirements stated below should be submitted on or before 10:30 AM of August 26, 2025, at DepEd-CAR Regional Office, Wangal, La Trinidad, Benguet.

B. Documentary Requirements

The supplier should submit the following:

- B.1 Duly accomplished and signed **Request for Quotation (RFQ)**, and its attachments, particularly **Section I and Section II.** together with copies of the following:
- B.2 Eligibility Requirements:
 - B.2.1. Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR
 - B.2.2. Official brochure or unamended sales literature specifying the brand and model of the offered product
 - B.2.3 Latest Income/Business Tax Return
 - B.2.4 Notarized Omnibus Sworn Statement
- B.4 The Lowest Calculated Responsive Bidder (LRCB) shall submit the following prior to the issuance of a Purchase Order (PO)/Contract:
 - **B.4.1 Performance Security Bond**

(RFQ No. 2025-07-473)

Negotiated Procurement – Two Failed Bidding DepEd-CAR RO CB 2025-05-007.2

C. Bid Evaluation and Post Qualification

A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances

A notice to the Single/Lowest Calculated Bidder shall be issued after determining the Single/Lowest Calculated Bidder. **During the Post Qualification (Site Inspection)**, the LCB shall present the following:

- a. All licenses, permits, and other documents it submitted, such as SEC registration, DTI business name registration, Mayor's permit, TIN, audited financial statements, etc.
- b. It is encouraged that actual sample of the items being offered is presented during post qualification. Actual official brochure of all the items shall be presented.

NOTE: Failure to submit/present any of the post-qualification requirements on time, or finding against the veracity thereof, shall disqualify the bidder for award. Provided in the event that a finding against the veracity of any of the documents submitted is made, it shall cause the forfeiture of the bid security in accordance with Section 69 of the IRR of RA 9184.

D. Award/Contract

- 1. DepEd-CAR RO shall award the Notice of Award and Purchase Order/Contract to the supplier whose offer is determined to be the lowest calculated and responsive quotation.
- 2. The quotation of the supplier and his acceptance of the Notice of Award and Purchase Order/Contract shall constitute a binding contract between DepEd-CAR RO and the Supplier.

E. Delivery and Inspection

- a. The DepED-CAR RO shall conduct pre-delivery inspection of sample item offered before delivery.
- b. The supplier shall be responsible for the transport of the goods from the store to the recipient schools (See Annex A).
- c. All goods to be delivered to the recipient schools shall be free from defects, substandard material, imperfection and other analogous defects.
- d. Only goods with the best quality shall be acceptable to the Department.

- e. All goods found to be with defects, imperfections and poor quality shall be rejected by the Department at any stage of the contract implementation.
- f. Delivery shall be during office hours (8:00-5:00). The Supplier shall not deliver goods on a Saturday, Sunday or Holiday.
- g. Delivered goods at recipient schools shall be inspected by the Inspectorate Team and accepted by the School Property Custodian personnel.
- h. upplier shall be responsible in the completion of the Inspection and Acceptance Report (IAR)
- i. The Delivery Receipt (DR) shall be signed by the School Property Custodian personnel.

F. Liquidated Damages

A penalty of one-tenth of one percent (0.001) of the total value of the undelivered Goods shall be charged as liquidated damages for every day of delay of the delivery of the purchased Goods.

G. Payment

Full payment shall be effected upon 100% delivery. Five percent (5%) retention money shall be deducted and will be released three (3) months after acceptance by the Procuring Entity of the delivered equipment or submission of surety bond equivalent to the retention money.

- **H.** Warranty Under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- I. DepEd-CAR RO reserves the right to accept or reject any quotation, to annul or cancel the process, and to reject all quotations at any time prior to the award of the Purchase Order/Contract, without thereby incurring any liability to the affected Supplier(s). It has no responsibility whatsoever to compensate the supplier for any expense incurred in the preparation of the quotation nor does it have any obligation to inform the affected Supplier(s) of the reasons for its decision.

ťΩ

comply

with

the

above

•	/anasifications:	 compiy	*******	CLLC.	abovo
terms/conditions	/specifications:				
Name of supplier	Signati	er Printed esentative			Date

concur/certified

Ţ

hereby

ANNEX A

#	Item Name	Unit			RECIPIEN	- C SCHOOLS		Tabuk 2					
			Suyo NHS	Pudtol Vocational HS	Benguet NHS	Daklan NHS	Tublay SHI	Dilag IS	Qty				
			Abra	Apayao	Benguet	Benguet	Benguet	Tabuk]				
1	Anvil	рс	2	2	2	2	2	2	12				
2	Apron, Leather	рс	5	5	5	5	5	5	30				
3	Brush, Steel	рс	5	5	5	5	5	5	30				
4	Disc Grinder, Portable, Electric	рс	2	2	2	2	2	2	12				
5	Fan, Exhaust	рс	1	1	1	1	1	1	6				
6	Fan, Industrial	рс	11	1	1	1	1	1	6				
7	Gas Cutting Machine, Automatic	рс	1	1	1	1	1	1	6				
8	Gauge, Fillet	рс	2	2	2	2	2	2	12				
9	Gloves, Leather, Long	рс	4	4	4	4	4	4	24				
10	Goggles, Oxy-acetylene	рс	2	2	2	2	2	2	12				
11	Goggles, Safety	рс	2	2	2	2	2	2	12				
12	Grinding Machine, Bench, Pedestal	рс	1	1	1	1	1	1	6				
13	Hacksaw, Power	рс	1	1	1	1	1	1	6				
14	Hammer, Ball Peen, 12 oz.	рс	3	3	3	3	3	3	18				
15	Hammer, Chipping	рс	3	3	3	3	3	3	18				
16	Hand File, Bastard Cut	рc	4	4	4	4	4	4	24				
17	Hand File, half round	рс	4	4	4	4	4	4	24				
18	Head Shield / Helmet	рс	4	4	4	4	4	4	24				
19	Plier/Tong	рc	4	4	4	4	4	4	24				
20	Steel square 300mm.long	рс	4	4	4	4	4	4	24				
21	Try Square, 300mm long	рс	5	5	5	5	5	5	30				
22	Welding Positioner	рс	2	2	2	2	2	2	12				