

# **PHILIPPINE BIDDING DOCUMENTS**

(As Harmonized with Development Partners)

Government of the Republic of the  
Philippines

**SUPPLY AND DOOR-TO-DOOR DELIVERY  
OF MANIPULATIVE MATERIALS FOR  
LEARNERS WITH DISABILITIES FOR  
DEPED-CAR  
(LIVELIHOOD SUPPLIES, MATERIALS &  
EQUIPMENT; SPORTS EQUIPMENT;  
EDUCATIONAL MANIPULATIVES; MUSICAL  
INSTRUMENTS, AND GARDEN &  
CONSTRUCTION TOOLS & EQUIPMENT)**

**DEPED-CAR RO – CB 2025-06-010**

Sixth Edition  
July 2020

# Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the “*name of the Procuring Entity*” and “*address for bid submission*,” should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.

- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

# Table of Contents

<b>Glossary of Acronyms, Terms, and Abbreviations .....</b>	<b>4</b>
<b>Section I. Invitation to Bid.....</b>	<b>7</b>
<b>Section II. Instructions to Bidders.....</b>	<b>11</b>
1. Scope of Bid .....	12
2. Funding Information.....	12
3. Bidding Requirements .....	12
4. Corrupt, Fraudulent, Collusive, and Coercive Practices.....	13
5. Eligible Bidders.....	13
6. Origin of Goods .....	13
7. Subcontracts .....	13
8. Pre-Bid Conference .....	14
9. Clarification and Amendment of Bidding Documents .....	14
10. Documents comprising the Bid: Eligibility and Technical Components .....	14
11. Documents comprising the Bid: Financial Component .....	14
12. Bid Prices .....	15
13. Bid and Payment Currencies .....	15
14. Bid Security .....	16
15. Sealing and Marking of Bids .....	16
16. Deadline for Submission of Bids .....	16
17. Opening and Preliminary Examination of Bids .....	16
18. Domestic Preference .....	17
19. Detailed Evaluation and Comparison of Bids .....	17
20. Post-Qualification .....	17
21. Signing of the Contract .....	17
<b>Section III. Bid Data Sheet .....</b>	<b>18</b>
<b>Section IV. General Conditions of Contract .....</b>	<b>22</b>
1. Scope of Contract .....	23
2. Advance Payment and Terms of Payment .....	23
3. Performance Security .....	23
4. Inspection and Tests .....	23
5. Warranty .....	24
6. Liability of the Supplier .....	24
<b>Section V. Special Conditions of Contract .....</b>	<b>25</b>
<b>Section VI. Schedule of Requirements .....</b>	<b>32</b>
<b>Section VII. Technical Specifications .....</b>	<b>33</b>
<b>Section VIII. Checklist of Technical and Financial Documents .....</b>	<b>126</b>

# *Glossary of Acronyms, Terms, and Abbreviations*

**ABC** – Approved Budget for the Contract.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

**Consulting Services** – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA** - Cooperative Development Authority.

**Contract** – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

**CIP** – Carriage and Insurance Paid.

**CPI** – Consumer Price Index.

**DDP** – Refers to the quoted price of the Goods, which means “delivered duty paid.”

**DTI** – Department of Trade and Industry.

**EXW** – Ex works.

**FCA** – “Free Carrier” shipping point.

**FOB** – “Free on Board” shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

**GOCC** – Government-owned and/or –controlled corporation.

**Goods** – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

**LGUs** – Local Government Units.

**NFCC** – Net Financial Contracting Capacity.

**NGA** – National Government Agency.

**PhilGEPS** - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.

## ***Section I. Invitation to Bid***

### **Notes on the Invitation to Bid**

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



Republic of the Philippines  
**Department of Education**  
Cordillera administrative

**INVITATION TO BID FOR  
SUPPLY AND DOOR-TO-DOOR DELIVERY OF MANIPULATIVE  
MATERIALS FOR LEARNERS WITH DISABILITIES FOR  
DEPED-CAR (LIVELIHOOD SUPPLIES, MATERIALS &  
EQUIPMENT; SPORTS EQUIPMENT; EDUCATIONAL  
MANIPULATIVES; MUSICAL INSTRUMENTS, AND GARDEN &  
CONSTRUCTION TOOLS & EQUIPMENT)**

1. The *Department of Education-Cordillera Administrative Region Regional Office (DepEd – CAR RO)*, through the *2025 General Appropriations Act Fund* intends to apply the sum of:

Lot No.	Approved Budget to the Contract (Php)	Identification No.
1	871,037.30	DepEd-CAR RO CB 2025-06-010 – Lot 1
2	1,819,961.32	DepEd-CAR RO CB 2025-06-010 – Lot 2
3	3,348,622.80	DepEd-CAR RO CB 2025-06-010 – Lot 3
4	6,199,308.60	DepEd-CAR RO CB 2025-06-010 – Lot 4
5	3,001,624.00	DepEd-CAR RO CB 2025-06-010 – Lot 5
6	964,462.76	DepEd-CAR RO CB 2025-06-010 – Lot 6

being the ABC to payments under the contract for each lot. **Bids received in excess of the ABC for each lot shall be automatically rejected at bid opening.**

2. The *DepEd – CAR RO* now invites bids for the above Procurement Project. *Delivery of the Goods is required by within ninety (90) calendar days upon receipt of Notice to Proceed. Bidders should have completed, within five (5) years from the date of submission and receipt of bids, a contract similar to the Project for each lot.* The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary “*pass/fail*” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

**Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.**

4. Prospective Bidders may obtain further information from *DepEd – CAR RO* and inspect the Bidding Documents at the address given below during **8:00am to 5:00pm**.

5. A complete set of Bidding Documents may be acquired by interested Bidders on **July 1, 2025** from the **DepEd-CAR RO Procurement Unit (BAC Secretariat)** and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of:

<i>Lot No.</i>	<i>Applicable fee for the Bidding Documents each lot (Php)</i>
<i>1</i>	<i>1,000.00</i>
<i>2</i>	<i>2,000.00</i>
<i>3</i>	<i>3,500.00</i>
<i>4</i>	<i>7,000.00</i>
<i>5</i>	<i>3,000.00</i>
<i>6</i>	<i>1,000.00</i>

**The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.**

*[NOTE: For lot procurement, the maximum fee for the Bidding Documents for each lot shall be based on its ABC, in accordance with the Guidelines issued by the GPPB; provided that the total fees for the Bidding Documents of all lots shall not exceed the maximum fee prescribed in the Guidelines for the sum of the ABC of all lots.]*

6. The **DepEd-CAR RO** will hold a **Pre-Bid Conference<sup>1</sup>** on **July 16, 2025 at 9:00 AM** at the **OARD, DepEd-CAR RO, Wangal, La Trinidad, Benguet**, which shall be open to prospective bidders.
7. Bids must be duly received by the BAC Secretariat at the **Office of the Assistant Regional Director of the DepEd-CAR RO**, address below, **on or before 9:00 PM of July 29, 2025. Late bids shall not be accepted.**

**RONALD B. CASTILLO, CESO V**  
*BAC Chairperson*  
*Procurement Unit Office (BAC Secretariat Office)*  
*DepED-CAR Regional Office*  
*Wangal, La Trinidad, Benguet*

8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB Clause 14**.
9. **Bid opening shall be on July 29, 2025 at 9:01 AM at the OARD, DepEd-CAR, Wangal, La Trinidad, Benguet.** Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
10. The **DepEd-CAR RO** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
11. For further information, please refer to:

*Atty. Edward C. Magalgalit, Jr./Randolph Flyn B. Daculog*

<sup>1</sup> May be deleted in case the ABC is less than One Million Pesos (PhP1,000,000) where the Procuring Entity may not hold a Pre-Bid Conference.

*Chair, BAC Secretariat/Procurement Unit  
DepED-CAR Regional Office  
Wangal, La Trinidad, Benguet  
Email address: [car.procurement@deped.gov.ph](mailto:car.procurement@deped.gov.ph)  
Tel. No. (074) 422-1318 Cp No. 09178218490/09207930509  
Website: [www.depedcar.ph](http://www.depedcar.ph)*

12. You may visit the following websites:

For downloading of Bidding Documents: *[depedcar.ph](http://depedcar.ph)*

**July 2, 2025**

  
**RONALD B. CASTILLO, CESO V**  
BAC Chairperson

## ***Section II. Instructions to Bidders***

### **Notes on the Instructions to Bidders**

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

## 1. Scope of Bid

The Procuring Entity, **DepEd-CAR RO** wishes to receive Bids for the **SUPPLY AND DOOR-TO-DOOR DELIVERY OF MANIPULATIVE MATERIALS FOR LEARNERS WITH DISABILITIES FOR DEPED-CAR (LIVELIHOOD SUPPLIES, MATERIALS & EQUIPMENT; SPORTS EQUIPMENT; EDUCATIONAL MANIPULATIVES; MUSICAL INSTRUMENTS, AND GARDEN & CONSTRUCTION TOOLS & EQUIPMENT)** with identification numbers:

Lot No.	Identification Number
1	DepEd-CAR RO CB 2025-06-010 – Lot 1
2	DepEd-CAR RO CB 2025-06-010 – Lot 2
3	DepEd-CAR RO CB 2025-06-010 – Lot 3
4	DepEd-CAR RO CB 2025-06-010 – Lot 4
5	DepEd-CAR RO CB 2025-06-010 – Lot 5
6	DepEd-CAR RO CB 2025-06-010 – Lot 6

The Procurement Project (referred to herein as “Project”) is composed of **six (6) lots**, the details of which are described in Section VII (Technical Specifications).

## 2. Funding Information

2.1. The GOP through the source of funding as indicated below for **FY 2025 GAA** in the amount of:

Lot No.	Approved Budget to the Contract (Php)
1	871,037.30
2	1,819,961.32
3	3,348,622.80
4	6,199,308.60
5	3,001,624.00
6	964,462.76

2.2. The source of funding is:

a. **NGA, the General Appropriations Act or Special Appropriations.**

## 3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect

the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

#### **4. Corrupt, Fraudulent, Collusive, and Coercive Practices**

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

#### **5. Eligible Bidders**

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA’s CPI, must be at least equivalent to:
  - a. **The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.**
  - OR**
  - b. **The bidder should have completed at least two (2) similar contracts and the aggregate contract amounts should be equivalent to at least the percentage of the ABC as required above; and the largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.**
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

#### **6. Origin of Goods**

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

#### **7. Subcontracts**

- 7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

- a. **Subcontracting is not allowed.**

## **8. Pre-Bid Conference**

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address *Office of the Assistant Regional Director, DepEd-CAR RO, Wangal, La Trinidad Benguet* as indicated in paragraph 6 of the **IB**.

## **9. Clarification and Amendment of Bidding Documents**

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

## **10. Documents comprising the Bid: Eligibility and Technical Components**

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *[state relevant period as provided in paragraph 2 of the **IB**]* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

## **11. Documents comprising the Bid: Financial Component**

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.

- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

## **12. Bid Prices**

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;
    - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
    - iv. The price of other (incidental) services, if any, listed in the **BDS**.
  - b. For Goods offered from abroad:
    - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
    - ii. The price of other (incidental) services, if any, as listed in the **BDS**.

## **13. Bid and Payment Currencies**

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
  - a. **Philippine Pesos.**

## 14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration<sup>2</sup> or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until *Sixty (60) calendar days from the deadline of submission of bids*. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

## 15. Sealing and Marking of Bids

Each Bidder shall submit **one (1) copy (labelled as original copy)** of the first and second components of its Bid.

The Procuring Entity requests **two (2) additional hard copies (labelled as Copy 1 and Copy 2)** and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

## 16. Deadline for Submission of Bids

- 16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

## 17. Opening and Preliminary Examination of Bids

- 17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

- 17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

---

<sup>2</sup> In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

## **18. Domestic Preference**

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

## **19. Detailed Evaluation and Comparison of Bids**

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case may be. In this case, the Bid Security as required by **ITB** Clause 14 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:  
  
**Option 2 – One Project having several items grouped into several lots, which shall be awarded as separate contracts per lot.**
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

## **20. Post-Qualification**

- 20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

## **21. Signing of the Contract**

- 21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

## ***Section III. Bid Data Sheet***

### **Notes on the Bid Data Sheet**

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

# Bid Data Sheet

ITB Clause				
5.3	For this purpose, contracts similar to the Project shall be:  <i>Lot 1: Supply and Delivery of Beauty Care/Personal Hygiene</i>  <i>Lot 2: Supply and Delivery of Cookery/Bread and Pastry</i>  <i>Lot 3: Supply and Delivery of Sports Equipment</i>  <i>Lot 4: Supply and Delivery of Educational Manipulatives</i>  <i>Lot 5: Supply and Delivery of Musical Instrument</i>  <i>Lot 6: Supply and Delivery of Garden and Construction Tools and Equipment</i>			
7.1	<b>Subcontracting is not allowed.</b>			
12	The price of the Goods shall be quoted DDP [state place of destination] or the applicable International Commercial Terms (INCOTERMS) for this Project.			
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:			
Lot No.	Description/Specialization	Amount Cash, Cashier's / Manager's Check, Bank Draft/ Guarantee/ Irrevocable Letter of Credit (2%)	Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission (5%)	Bid Securing Declaration (Pursuant to GPPB Resolution No. 03-2012)
1	<i>Supply and Delivery of Beauty Care and Personal Hygiene SME for LWD</i>	17,420.75	43,551.87	Please see Section VIII
2	<i>Supply and Delivery of Cookery and Bread &amp; Pastry for LWD</i>	36,399.23	90,998.07	
3	<i>Supply and Delivery of Sports equipment for LWD</i>	66,972.46	167,431.14	
4	<i>Supply and Delivery of Educational Manipulatives for LWD</i>	123,986.17	309,965.43	
5	<i>Supply and Delivery of Music Instrument for LWD</i>	60,032.48	150,081.20	
6	<i>Supply and Delivery of Garden and Construction Tools and Equipment for LWD</i>	19,289.26	48,223.14	

- a. Note: The Bid Security in the form of Cashier's/manager's check shall be payable to **DepEd-CAR Regional Office – Cash Section**

19.3

The Project will be awarded by lot/s. The NFCC computation, if applicable, must be sufficient for all the lot/s or contract/s to be awarded to the Bidder:

<i><b>Lot No.</b></i>	<i><b>Description/Specialization</b></i>	<i><b>No. of School recipient</b></i>	<i><b>ABC</b></i>
1	<i>Supply and Delivery of Beauty Care and Personal Hygiene SME for LWD</i>	12	871,037.30
2	<i>Supply and Delivery of Cookery and Bread &amp; Pastry for LWD</i>	12	1,819,961.32
3	<i>Supply and Delivery of Sports equipment for LWD</i>	12	3,348,622.80
4	<i>Supply and Delivery of Educational Manipulatives for LWD</i>	12	6,199,308.60
5	<i>Supply and Delivery of Musical Instrument for LWD</i>	12	3,001,624.00
6	<i>Supply and Delivery of Garden and Construction Tools and Equipment for LWD</i>	12	964,462.76

**NOTE:** For tools or equipment powered by electricity or fuel, the brand and model of the item/unit offered must be available in the local market. Original Equipment Manufacturer (OEM) or assembled items/units will not be accepted and will be grounds for disqualification. On the other hand, for tools and equipment NOT powered by electricity or fuel, Original Equipment Manufacturer (OEM) or assembled items/units are accepted. For Sports Equipment, items offered shall be those that are used in official sports competitions.

20.2

Within a non-extendible period of **five (5) calendar days** from receipt by the bidder of the notice from the BAC that it submitted the LCB, the Bidder shall submit copies of the following requirements:

- 1. Latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS)**
- 2. During the Post Qualification (Site Inspection), the LCB shall present the following:**
  - a. All licenses, permits, and other documents it submitted, such as SEC registration, DTI business name registration, Mayor's permit, TIN, audited financial statements, etc.
  - b. It is encouraged that actual sample of the items being offered is presented during post qualification. Actual official brochure of all the items shall be presented.

**NOTE:** Failure to submit any of the post-qualification requirements on time, or finding against the veracity thereof, shall disqualify the bidder for award. Provided in the event that a finding against the veracity of any of the documents submitted is made, it shall cause the forfeiture of the bid security in accordance with Section 69 of the IRR of RA 9184.

21.2	<p data-bbox="347 197 1385 271"><i>[List here any additional contract documents relevant to the Project that may be required by existing laws and/or the Procuring Entity.]</i></p> <p data-bbox="347 300 660 338"><i>No Further Instructions</i></p>
------	---

## ***Section IV. General Conditions of Contract***

### **Notes on the General Conditions of Contract**

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

## 1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

## 2. Advance Payment and Terms of Payment

2.1. Advance payment of the contract amount is provided under Annex “D” of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

## 3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184. the Bidder may opt to furnish the performance security or a Performance Securing Declaration as defined under the Guidelines on the Use of Framework Agreement.}

## 4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project *{[Include if Framework Agreement will be used:]* or Framework Agreement} specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC, Section VII (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

## **5. Warranty**

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

## **6. Liability of the Supplier**

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

## ***Section V. Special Conditions of Contract***

### **Notes on the Special Conditions of Contract**

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

## Special Conditions of Contract

GCC Clause	
1	<p><b>Delivery and Documents –</b></p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p><i>[For Goods supplied from abroad, state:]</i> “The delivery terms applicable to the Contract are DDP delivered at the <b>Recipient Schools (Please see annex A)</b>. In accordance with INCOTERMS.”</p> <p><i>[For Goods supplied from within the Philippines, state:]</i> “The delivery terms applicable to this Contract are delivered at the <b>Recipient Schools (Please see annex A)</b>. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.”</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site are <b>Denia Tarnate, Education Program Supervisor under CLMD and Vandolph B. Flora, Administrative Officer V under ASD-Asset Management Section</b>.</p> <p><b>Incidental Services –</b></p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:</p> <ol style="list-style-type: none"> <li>a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;</li> <li>b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;</li> <li>c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;</li> <li>d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and</li> </ol>

- e. training of the Procuring Entity’s personnel, at the Supplier’s plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

**Spare Parts –**

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

1. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
2. in the event of termination of production of the spare parts:
  - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
  - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI (Schedule of Requirements)** and the costs thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [*indicate here the time period specified. If not used indicate a time period of three times the warranty period*].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [*insert appropriate time period*] months of placing the order.

	<p><b>Packaging –</b></p> <p>The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods’ final destination and the absence of heavy handling facilities at all points in transit.</p> <p>The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.</p> <p>The outer packaging must be clearly marked on at least four (4) sides as follows:</p> <p>Name of the Procuring Entity  Name of the Supplier  Contract Description  Final Destination  Gross weight  Any special lifting instructions  Any special handling instructions  Any relevant HAZCHEM classifications</p>
	<p>A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.</p> <p><b>Transportation –</b></p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p> <p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p>

	<p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.</p> <p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p> <p><b>Intellectual Property Rights –</b></p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p>
	<p><b>Regular and Recurring Services –</b></p> <p><i>[In case of contracts for regular and recurring services, state:]</i> “The contract for regular and recurring services shall be subject to a renewal whereby the performance evaluation of the service provider shall be conducted in accordance with Section VII. Technical specifications.”</p>
	<p><b>Liquidated Damages -</b> Under Section 68 of the 2016 Revised IRR of RA 9184.</p> <p>All contracts executed in accordance with the Act and this IRR shall contain a provision on liquidated damages which shall be payable by the contractor in case of breach thereof. For the procurement of Goods, Infrastructure Projects and Consulting Services, the amount of the liquidated damages shall be at least equal to one-tenth of one percent (0.001) of the cost of the unperformed portion for every day of delay. Once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, the Procuring Entity may rescind or terminate the contract, without prejudice to other courses of action and remedies available under the circumstances.</p>
2.2	<p><b>The terms of payment shall be as follows:</b></p> <p>Full payment shall be effected upon 100% delivery and installation. Five percent (5%) retention money shall be deducted and will be released one (1) year after acceptance by the Procuring Entity of the delivered and installed equipment or submission of surety bond equivalent to the retention money.</p>
4	<p><b>Delivery and Inspection:</b></p>

	<ul style="list-style-type: none"> <li>a. The DepED-CAR RO shall conduct pre-delivery inspection of sample item offered before delivery.</li> <li>b. The supplier shall be responsible for the transport of the goods from the store to the recipient schools.</li> <li>c. All goods to be delivered to the recipient schools shall be free from defects, substandard material, imperfection and other analogous defects.</li> <li>d. Only goods with the best quality shall be acceptable to the Department.</li> <li>e. All goods found to be with defects, imperfections and poor quality shall be rejected by the Department at any stage of the contract implementation.</li> <li>f. Delivery shall be during office hours (8:00-5:00). The Supplier shall not deliver goods on a Saturday, Sunday or Holiday.</li> <li>g. Delivered goods at recipient schools shall be inspected by the Inspectorate Team and accepted by the School Property Custodian personnel.</li> <li>h. The Supplier shall be responsible in the completion of the Inspection and Acceptance Report (IAR)</li> <li>i. The Delivery Receipt (DR) shall be signed by the School Property Custodian personnel.</li> </ul>
5	<p><b>Warranty</b> - Under Section 62.1 of the 2016 revised IRR of RA No. 9184.</p> <p>For the procurement of Goods, in order to assure that manufacturing defects shall be corrected by the supplier, a warranty security shall be required from the contract awardee for a minimum period of three (3) months, in the case of Expendable Supplies, or a minimum period of one (1) year, in the case of Non-expendable Supplies, after acceptance by the Procuring Entity of the delivered supplies.</p> <p>The obligation for the warranty shall be covered by either retention money in an amount equivalent to at least one percent (1%) but not to exceed five percent (5%) of every progress payment, or a special bank guarantee equivalent to at least one percent (1%) but not to exceed five percent (5%) of the total contract price. The said amounts shall only be released after the lapse of the warranty period or, in the case of Expendable Supplies, after consumption thereof: Provided, however, That the supplies delivered are free from patent and latent defects and all the conditions imposed under the contract have been fully met.</p> <p>The Supplier shall supply and deliver only the best furniture for the learners and teachers</p> <p>The Supplier warrants that any damage or defect in the goods delivered, the supplier shall automatically and immediately replace the same with no question</p>

	<p>at no cost to the school, DepEd or Government within two weeks from the time of the defects become apparent and reported by the school or the Department</p> <p>The supplier shall replace or immediately compensate the school for replacement of damaged goods, unassembled furniture, or any other defects attributable to the delivery and factory defect of the items delivered within two years from delivery, excepts for damages caused while being used by the learners in the school</p> <p>Supplier must immediately replace defective furniture and deliver its replacement without any cost with one week from the reported presence of defects. Supplier cannot deny or refuse the immediate replacement of the reported patently defective goods delivered to the school reasoning the goods were accepted by the school who are not experts to determine the quality of the goods</p>
--	--

## ***Section VI. Schedule of Requirements***

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

<b>Lot No.</b>	<b>Description/Specialization</b>	<b>No. of School Recipient</b>	<b>Unit</b>	<b>Quantity</b>	<b>Delivered, Weeks/Months</b>
1	<i>Supply and Delivery of Beauty Care and Personal Hygiene SME for LWD</i>	12	Please see Annex A		Within ninety (90) calendar days upon receipt of Notice to Proceed
2	<i>Supply and Delivery of Cookery and Bread &amp; Pastry for LWD</i>	12			
3	<i>Supply and Delivery of Sports equipment for LWD</i>	12			
4	<i>Supply and Delivery of Educational Manipulatives for LWD</i>	12			
5	<i>Supply and Delivery of Music Instrument for LWD</i>	12			
6	<i>Supply and Delivery of Garden and Construction Tools and Equipment for LWD</i>	12			

## ***Section VII. Technical Specifications***

### **Notes for Preparing the Technical Specifications**

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

#### **Sample Clause: Equivalency of Standards and Codes**

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words “*or at least equivalent.*” References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

In case of Renewal of Regular and Recurring Services, the Procuring Entity must indicate here the technical requirements for the service provider, which must include the set criteria in the conduct of its performance evaluation.

# Technical Specifications

Item	Specification	Statement of Compliance
		<p><i>[Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder’s statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>

**SUPPLY AND DELIVERY OF LIVELIHOOD SKILLS: PERSONAL HYGIENE AND BEAUTY CARE FOR LEARNERS WITH DISABILITIES FOR DEPED-CAR**

**LOT 1**

No.	Item Name	Design Specification:	Unit	Qty	Statement of Compliance (State whether you comply or not comply)	state the brand and model of the specifying product offered with an attachment of official brochure or unamended sales literature
1.	<b>Personal Hygiene Kit</b>	<p>Material: Non-toxic plastic, fabric, or stainless-steel components            Contents: Toothbrush, toothpaste, soap, shampoo, conditioner, deodorant, comb/brush, washcloth, and towel            Storage: Compact, portable bag with individual compartments for organizing items</p> <p><b>Toothbrush:</b>            Bristle: soft bristle; nylon bristle            Handle: plastic: polypropylene; ergonomic designs for a comfortable grip            Handle Shape: Slim            Head: at least 1-1.25 inches and 5/16 to 3/8 inches wide with 3-4 rows of bristle; can be angled, rounded, or flat, with a toe and heel for reaching all areas of the mouth            -effective at removing plaque and debris, and should be able to reach all tooth surfaces            Specific features: may include a textured tongue cleaner, a raised cleaning tip, and soft rubber polishing cups</p> <p><b>Toothpaste:</b> antibacterial and fluoride for cavity prevention; 195 grams; with glycerin, sorbitol, pyrophosphate and other humectants to retain moisture and maintain texture; with therapeutic agents</p> <p><b>Soap:</b> dermatologically tested and approved; gentle exfoliating- with renewing exfoliant; with moisturizing cream, plant-based cleanser and pH balance; no sulfate cleaners and parabens; at least 106g</p> <p><b>Shampoo:</b> with natural extracts like avocado, aloe vera or coconut, oil; for various hair types-dry, course, or oily; has anti dandruff properties and smoothens hair; long lasting fragrance; at least 350mL/bottle</p>	set	24		

		<p><b>Conditioner:</b> at least 180mL/bottle; with coconut cream extract, milk protein, ole vera extract and/or keratin protein; leaves hair soft; long lasting fragrance; sulfate free; for all hair types</p> <p><b>Deodorant:</b> typically offer 48-hour or 72-hour protection against sweat and odor; with ¼ moisturizing cream; with features like niacinamide; formulated without aluminum and alcohol; suitable for sensitive skin; roll-on</p> <p><b>Comb/brush: (2 pcs)</b>  Material: Plastic, durable that can withstand regular use  Type: wide-tooth comb- best for detangling wet hair, curly hair, or thick hair, minimizing breakage and fine-tooth comb -suitable for styling straight hair, creating a polished look, and sectioning hair  -with smooth teeth and edges  Size: at least 15 cm  Number of teeth: 10 teeth (minimum)  Gap between Comb's teeth: 0.4 to 0.5 cm gap from one another  Teeth size: at least 0.3 cm in width x 4cm in length</p> <p><b>Wash cloth:</b>  Size: at least 12 to 13 inches x 12 to 13 inches  Material: cotton due to its softness, absorbency, and durability and absorbent  -quick-drying, odor resistance, hypoallergenic properties, and extra softness</p> <p><b>Towel:</b>  Size: at least 28 to 33 cm x 28 to 33 cm  Material: cotton or microfiber  GSM: at least 300 to 400  Washable</p>				
2.	<b>Mirror-Acrylic, 5ft x2ft for wall mounting</b>	Material: Shatterproof acrylic Mounting Hardware included Mirror Thickness: 1/8" Size: 5ft x 2ft With wooden frame Sides safety Design: Lightweight, impact-resistant, with smooth edges for safety	set	12		
3.	<b>Hair Dryer</b>	Material: Non-toxic plastic, ceramic, or ionic components Power: 1200-1800 watts for safe and efficient drying Design: soft-grip surface, easy-to-use buttons (on/off, heat control, speed control) Cord Length: At least 2 meters for ease of use Safety Features: Automatic overheat protection, lightweight and easy to handle	set	24		

4.	<b>STRAIGHT- BLADED SCISSOR</b>	Material: Stainless steel blades, ergonomic plastic or rubber handles Blade Length: Approximately 7-8 cm Handle Design: Oversized, cushioned, or molded handles for users with limited dexterity Safety: Rounded tips or blunt blades for safe cutting, especially for learners with motor impairments Weight: Lightweight to reduce hand strain	set	24		
5.	<b>Set of Professional Shears</b> (3 to 4 pieces/set)	Material: Stainless steel blades with ergonomic plastic or rubber handles Blade Length: Typically, 5 to 8 inches for precision cutting Handle Design: Comfort grip, non-slip, oversized handles for ease of use Use: Specifically designed for professionals or learners requiring precision in cutting tasks Safety: Rounded tips and smooth, sharp blades for precise, clean cuts Noncorrosive Branded Used for men and women	set	24		
6.	<b>Set of razors, razor blades, and a protective case</b>	Material: Stainless steel blades with rubberized or ergonomic plastic handles Razor Size: Standard razor size (6-7 cm in length) Blades: Disposable blades with safe, secure fittings Protective Case: Hard plastic or silicone case with locking mechanism to prevent accidental cuts	set	12		
7.	<b>Combs</b>	Combs are essential tools when it comes to cutting and styling hair. Many brushes are created with a specific hair type in mind and are made from different materials like wood, plastic, and ceramic. They'll also have different bristle types, including synthetic, boar, or mixed. Set of combs to include: • All-purpose comb • Barber comb • Wide-tooth comb • Fine-tooth comb • Pick comb • Pin-tail comb • Rat-tail comb • Teasing comb  Material - Carbon fiber, it is not easily broken, lightweight and durable, high toughness and heat-resistant	set	12		
		<b>All Purpose Comb</b>				

<p>Material: plastic  Size#3 or at least 18 cm long (minimum)  Has both fine and medium teeth position on one side only  Height of the teeth: 2 cm (minimum)  Non toxic  Packed with plastic pouch</p>				
<p><b>Barber comb:</b>  Material: Plastic  Length: at least 7-8.5 inches  Width: at least 1 to 1.75 inches  Thickness: around 0.1 to 0.2 inches  Packed with plastic pouch</p>				
<p><b>Wide-tooth-comb:</b>  Material: Plastic  Size: at least 15 cm  Number of teeth: 10 teeth (minimum)  Gap between Comb's teeth: 0.4 to 0.5 cm gap from one another  Teeth size: at least 0.3 cm in width x 4cm in length  Packed with plastic pouch</p>				
<p><b>Fine-tooth comb:</b>  Material: Plastic  Size: at least 7-9 inches  Teeth: fine, closely packed, straight  Feature: Smooth, seamless body with rounded tips to prevent snagging and damage to the hair</p>				
<p><b>Teasing comb:</b>  Material: Plastic  With 2 rows of teeth  1st row: Large teeth with at least 25 mm long  2nd row: Small Teeth with at least 19 mm long  Overall Comb Size: 20 cm (L) minimum x 3.8 cm (W) minimum</p>				

		Nontoxic Packed with plastic pouch				
		<b>Pin Tail Comb:</b> Material: Plastic Size : 8 inches(L)minimum x 1 inches (W) minimum Tail length: 4 inches(minimum) Tooth length: 3/4 inch(minimum) Packed with plastic pouch				
		<b>Pick comb:</b> Material: Plastic Size: Overall length at least 7 inches Width: 3.25 inches(minimum) Number of teeth: 12 teeth (minimum); Teeth height: 2.5 inches long (minimum) Nontoxic Packed with plastic pouch				
		<b>Rat-Tail Comb:</b> Material: Plastic Length: around 8.5 to 9,5 inches Handle: about 0.2 to 0.4 inches Tail: thin and pointed for precise sectioning Teeth: typically fine, closely spaced Nontoxic Packed with plastic pouch				
8.	<b>Brushes</b>	-are essential tools when it comes to cutting and styling hair. Many brushes are created with a specific hair type in mind and are made from different materials like wood, plastic, and ceramic. They'll also have different types of bristle, including synthetic, boar, or mixed. Handle of the brushes: rubber or nay material often designed for a comfortable grip	set	12		

		<p><b>Set of brushes to include:</b> • vent brushes • nylon bristle brushes • styling brushes and • thermal brushes that vary in diameter</p>				
		<p><b>Nylon bristles</b>  Light weight and works well with a hair dryer.  Perfectly vented to make styling and blow drying quick.  It is easy to use and clean.  They'll also have different bristle types, including synthetic, boar, or mixed.  Size: around 8.50 inches long and 2.50 inches wide  Bristle length: around 5/8" to 3/4"  Brush: round, around 2.2 inches</p>				
		<p><b>Vented Hairbrush</b>  Material: ceramic  Size: 8.15 x 2.44 x 1.30in  Diameter (for round brushes): ranging from 1 inch to 2.5 inches  Handle: rubber</p>				
		<p><b>Quiff Roller Brush</b>  Size: 8.62 x 1.57 x 1.42in</p>				
		<p><b>Thermal Brushes:</b>  Material: ceramic and tourmaline barrels  Length (for short hair): around 1 to 1.5 inches  Length (for long hair): around 2 inches and up  Length (for creating waves and curls): around 1.5 inches  Brush: round, detachable</p>				
9.	<b>ELECTRIC CLIPPER</b>	<p>Material: Synthetic bristles, non-toxic plastic handle  Handle Length: 25 cm to 40 cm  Bristle Length: 3 cm to 5 cm  Cordless  110-240V, 5W rated power, at least 2-3-hour charging time  Built in Rechargeable Battery; power cord for recharging</p>	set	24		

		With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, c. operating procedures, Packed with protective carton box				
10.	<b>Electric Appliances including</b>	<ul style="list-style-type: none"> <li>• <b>professional blow dryer</b> Power: 1000W Rated Voltage: 220VAC At least (L x W x H): 18.5cm x 16cm x 6.5cm With plastic handle design Packed with carton box with styrofoam holder With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, c. operating procedures, Branded</li> </ul>	set	24		
		<ul style="list-style-type: none"> <li>• <b>curling irons</b> that vary in barrel width Ceramic Curling iron Capacity: 65watts Voltage: 210-240Volts AC with power cord Barrel size: 1 inch (minimum) Adjustable heat setting with maximum temperature of 200 degrees Centigrade Swivel cord up to 360 degree Cylindrical shape Plastic handle for safety purpose Packed with protective carton box Branded</li> </ul>				
		<ul style="list-style-type: none"> <li>• <b>straightening/flat irons</b> Ceramic or tourmaline plate; adjustable temperature display around 150-235°C; instant heat up; 220V power; with automatic</li> </ul>				

		<p>safety shut off; heating time-around 60sec; cord length-around 1.7-1.8mm; swivel cord; automatic shut off  With User's Manual in English which includes:</p> <ol style="list-style-type: none"> <li>parts manual with labels,</li> <li>assembly instructions,</li> <li>operating procedures,</li> </ol> <p>Branded</p>				
		<ul style="list-style-type: none"> <li><b>and/or a diffuser</b>  Power Consumption: around 0.4W  Cord: at least 0.5m;  Lightweight;  Coverage Area: small to medium room  Operation Time: at least 8-12 hours;  Reservoir Size: at least 150 -200 mL  Vapor Output: at least 30 mL of water and oil per hour  With lighting options and automatic shutoff</li> </ul>				
		<ul style="list-style-type: none"> <li><b>electric razor</b> with various guard attachments to shape up necklines and facial hair and execute several cuts  220-240 V power; 5-15 watts; NiMH (Nickel-Metal Hydride) batteries; wet and dry shavings; close-cut blade system; 360° floating head  Branded, non corrosive</li> </ul>				
11.	<b>DUSTER BRUSH</b>	<p>Material: Synthetic bristles, non-toxic plastic handle  Handle Length: 25 cm to 40  Bristle Length: 3 cm to 5 cm</p>	set	24		
12.	<b>Aprons and disposable Nitrile gloves</b>	<p>Nitrile rubber  Average thickness 14 to 16 mils  Green or Yellow color  Individually pack  Reusable and chemical resistant  Brand name permanently marked on the item</p>	set	48		

13.	<b>Mannequin Heads</b>	<p>Material: Lightweight, durable plastic non-toxin, PVC, silicone, polyurethane</p> <p>Usage: Suitable for beginners to practice eyebrow tattoo, eyelash extension, makeup, beauty care, face washing, massage, acupuncture, hair transplant, etc. It can also be used to display eyebrows, eyelashes, wigs, etc.</p> <p>Features: Soft bald head allows insertion of a needle, comes with a base.</p> <p>Size: Standard size (approximately 20 cm to 30 cm in diameter)</p>	set	24		
14.	<b>Spray Bottle and Clips</b>	<p><b>Spray Bottle:</b>  Material: Non-toxic Plastic  Material must not corrode when chemicals are used in the salon  Bottle holds 32 oz  Transparent  Sprayers: 28 mm/400</p> <p><b>Clips:</b>  4.3",  Non-slip,  No trace duck billed hair clip,  With silicone band  Body material: Hard Plastic  Blade material: Carbon Steel  Quantity of clips: 12 pieces/pack</p>	set	24		
15.	<b>Makeup Tools</b>	<p>This bag should include essentials like:</p> <ul style="list-style-type: none"> <li>• <b>Hypoallergenic makeup brushes</b>  -nylon bristle; wand brushes for foundation, blush, eye makeup; unscented; can be used to all skin types</li> </ul> <p><b>Spoolie,</b></p>	set	24		

<ul style="list-style-type: none"> <li>-make us brush type: dual spoolie; made of medium-sized brush bead with tapered spiky tip that grooms, combs, and defines lashes and brows</li> </ul>				
<p><b>cotton pads</b></p> <ul style="list-style-type: none"> <li>-primarily 100% natural cotton, often non-woven or with textured surfaces for enhanced absorption;</li> <li>-Size: at least 5 to 8cm;</li> <li>-absorbent with cushioning properties</li> <li>-lint free; disposable;</li> <li>-can be used when applying make-up, removing make-up and applying skin care products</li> </ul>				
<p><b>Q-tips</b></p> <ul style="list-style-type: none"> <li>-material: made of paper or plastic with cotton tips</li> <li>-double tipped with a cotton tip on each end of the stick</li> <li>-length: at least 3 inches</li> <li>-can be used for cleaning ears, applying makeup, and various cosmetic and hygiene tasks</li> <li>-at least 200 to 500 Q tips per pack</li> </ul>				
<p><b>Makeup sponges</b></p> <ul style="list-style-type: none"> <li>-dual end design for easy application to all areas of the face;</li> <li>-works with various make-up formulations, including liquids, powders, minerals and creams</li> <li>-streak-free</li> <li>-Material: Polyurethane foam</li> <li>-latex free (in consideration for sensitive skin)</li> <li>-washable and reusable</li> </ul>				
<p><b>Blush</b></p> <ul style="list-style-type: none"> <li>-type: powder, cream and liquid (1 each type)</li> <li>-Shade: from neutral to vibrant</li> <li>-for fair, medium, and dark skin tone</li> <li>-ranges from 4.2 to 8g</li> </ul>				

<p><b>Eyeshadow</b></p> <ul style="list-style-type: none"> <li>-Color and pigment: from neutral and vibrant and bold tones</li> <li>-texture: matte and/or metallic</li> <li>-blendability: easy to blend allowing for smooth application and transition between different shades</li> <li>-formula: powder-based and liquid-based (1 formula each)</li> <li>-can last for longer period of time</li> <li>-non-irritating formula</li> <li>-can be 15.6 to 16.7g for eyeshadow palettes</li> <li>-3 to 4-color eyeshadow palette</li> </ul>				
<p><b>Contour</b></p> <ul style="list-style-type: none"> <li>-suitable for all skin types</li> <li>-Concealer and flash naturally cover up facial defects</li> <li>-Three different colors of skin tone, highlighting and brightening skin tone</li> <li>-Refine facial contours and highlight facial features</li> <li>-A variety of color combinations, from light to dark, suitable for all skin tones</li> <li>-It can be used on the face, collarbone and neck</li> </ul>				
<p><b>Highlight</b></p> <p>Form: powder</p> <p>Long lasting, ideal for face, body contour and cheek</p> <p>Ranges from neutral to vibrant</p>				
<p><b>lipstick palettes</b> that range from neutral to vibrant</p> <p>Weight: ranges from 60 to 130 grams</p> <ul style="list-style-type: none"> <li>-contains 15 lipsticks-multicolor/shades</li> <li>-with mirror and a brush</li> <li>-long lasting</li> <li>-Finish: matte, satin, glossy or a combination</li> </ul>				

		<p>A range of foundation and powders</p> <p><b>Liquid foundation:</b></p> <ul style="list-style-type: none"> <li>-suitable to all types of skin: oily, dry, combination, sensitive</li> <li>-Finish: matte, dewy, or natural</li> <li>-hypoallergenic and dermatologist tested</li> <li>-Coverage level: light, medium, full</li> <li>-SPF: at least 30 to 50</li> <li>-weight: around 50 to 80mL</li> </ul>				
		<p><b>Powder Foundation (pressed)</b></p> <ul style="list-style-type: none"> <li>-Coverage: full</li> <li>-Finish: matte, natural or satin</li> <li>-suitable for all types of skin</li> <li>-hypoallergenic and dermatologist tested</li> <li>-long lasting and sweat resistant</li> <li>-non-comedogenic</li> <li>-SPF: 15 to 50</li> <li>-weight: around 7.5g to 15g</li> </ul> <ul style="list-style-type: none"> <li>• It's essential to have different applicators, shades, and types of makeup (i.e., liquid and powder) for diverse skin tones and skin types</li> </ul>				
16.	<b>Anti-Static Duster</b>	<p>Material: Microfiber or synthetic fibers, non-toxic plastic handle</p> <p>Handle Length: 25 cm to 40 cm</p> <p>Design: Ergonomic, non-slip handle with extendable reach for cleaning</p>	set	24		
17.	<b>Trash Can</b>	<p>Material: Non-toxic plastic</p> <p>Size: Small to medium size (e.g., 30L to 50L capacity)</p> <p>Design: Lightweight with a secure lid, foot pedal for hands-free operation</p>	set	24		
18.	<b>Bucket</b>	<p>Material: High density polyethelene</p> <p>Capacity: 16 liters (minimum)</p>	set	24		

		Comes with metal handles Color: Red, Yellow, Green, or Blue Quantity: 2 pcs per set				
19.	<b>Scrub brushes</b>	Material: Plastic Minimum size: 2 inches width & 6 inches length Hard plastic bristles with height at least 1 inch Color: Green, blue, green, or Yellow With handle	set	24		
20.	<b>Toilet brush</b>	Material: Plastic Type: plastic round toilet brush with holder Length of the handle: 30cm (minimum) Brush size at least 10cm With plastic storage or bowl Any color	set	24		
21.	<b>Multi-purpose duster</b>	Material: Microfiber duster Duster length: 39cm minimum Stainless steel extension pole: 76cm minimum Anti-static With provision for hanging or storage purposes Any color	set	24		
22.	<b>Sponges 3 pcs/pack</b>	Material: Foam Size: at least 3 inches x 3 inches x 1 inch With scouring pad one side and absorbent sponge on the other side. Any color	pack	12		
23.	<b>Spray bottle</b>	Trigger type Sprayer Material: Transparent plastic Capacity: 300 - 500 ml. Comes with rotating nozzle to adjust spray pattern	pc	24		
24.	<b>Microfiber cleaning cloths - 12</b>	Material: Microfiber Size: 12 square inch (minimum) Highly water absorbent, soft, and washable cloth	pack			

	<b>pcs per pack</b>	Color: Yellow or Green		12		
25.	<b>Broom and dustpan</b>	Dustpan material : Hard plastic,1mm thick Width: 26 to 30cm Minimum height of the dustpan including the non-detachable handle is 1 meter Broom material: Nylon bristles Broom with at least 19mm diameter with long handle With provision for hanging or storage purposes	set	24		
26.	<b>Mop</b>	Mophead Material: Microfiber/yarn cloth Mophead Color: White Material of the handle: Plated Steel Tube Handle design can be twisted and adjusted Includes spinner and bucket made of hard plastic Equipped with hanging holes for storage purposes Includes spare mophead	set	24		
27.	<b>Vacuum</b>	Capacity:3 liters dust container(minimum) Suction power range from 300W to 650W Voltage frequency:220-240V,50/60Hz. Cord length:1 to 1.5meter With filtration system With adjustable suction power With complete accessories such as nozzles, brushes, washable filters, mounting ring and crevice tool Designed with 2 to 3 wheels. Green, Yellow, or blue color Brand name permanently marked on the item With English Manual	unit	12		

I hereby certify to comply with and deliver all the above requirements.

\_\_\_\_\_  
Name of Company/Bidder

\_\_\_\_\_  
Signature Over Printed Name of Representative

\_\_\_\_\_  
Date

**SUPPLY AND DELIVERY OF LIVELIHOOD SKILLS: COOKERY AND BREAD AND PASTRY FOR LEARNERS WITH DISABILITIES FOR  
DEPED-CAR  
LOT 2**

No.	Item Name	Design Specification:	Unit	Qty	Statement of Compliance (State whether you comply or not comply)	state the brand and model of the specifying product offered with an attachment of official brochure or unamended sales literature				
1.	<b>Kitchen utensils and cutlery</b>	Material: Stainless steel Design: Adaptive, ergonomic handles with extra grip, molded or oversized handles for easier use Contents: At least 5 essential items (knife, fork, spoon, soup spoon, and a cutting knife) 25 pieces set for 5  The items must be of good quality:	set	12						
		a. 5 dinner knives -length: at least 9 to 10 inches -handle and blade material: stainless steel -blade edge: serrated -shape: a blunt end and a single cutting edge Usage: can be used for cutting meat, vegetables, and bread								
		b. 5 dinner forks -length: at least 7-9 inches -Tines: 4								
		c. 5 dinner spoons -length: at least 7 to 8 inches -bowl shape: oval-shaped, allowing for both solid and semi-liquid foods -ideal for eating main courses and side dishes, versatile for various foods.								

		d. 5 salad forks -length: at least 6 inches -tines: 3 to 4				
		e. 5 teaspoons -size: ranges from 2.5 to 7.3 mL -bowl shape: oval-shaped				
2.	<b>8-Inch Chef's Knife</b>	Type: Chef's Knife Material: High grade stainless steel, 1mm thick Total length: 8 inches minimum At least handle 4 1/2-inch minimum With sheath Brand name permanently marked on the item.  8 Inch Chef's Knife - A high quality chef's knife has a good weight balance, a blade that keeps its edge, and of course, feels good in your hand. The most common size and shape for home cooks is 8 inches with a blade that gently slopes upwards at the tip (this "Western" style is ideal for creating a rocking motion with the knife—great for chopping veggies). Features an 8" long blade, 5" long handle and weighs 8.5 oz. Full Bolster and Finger Guard, German Made Cook's Knife. Ergonomic handle design made from a long-lasting synthetic material to resist fading and discoloration. - 8-Inch	set		12	
3.	<b>Boning knife</b>	Material: High-carbon stainless steel, 1.5mm thick Total Length: 6-7 inches Handle Length: Minimum 4 inches With Sheath: Yes, protective sheath included Brand Name: Permanently etched or stamped on the blade	set		24	

4.	<b>Cleaver knife</b>	<p>Material: stainless steel with exceptional corrosion resistance and oxidation resistance.          Crafted from the premium 3Cr13Mov German steel; HRC: 52±2.          High-Carbon stainless steel Ultra-Sharp blade.          Ergonomic colored wood handle, anti-slip and labor saving.          Impeccable full tang design, safe and durable.          Luxurious wood knife block, elegant and space efficient.          High Hardness &amp; Ultra-sharpedge expert heat treatment;          One-year replacement          Crafted from the premium 3Cr13Mov German steel; HRC: 52±2.          High-Carbon stainless steel Ultra-Sharp blade          Ergonomic colored wood handle, anti-slip and labor saving.</p>	pc	24		
5.	<b>Paring Knife</b>	<p>Type: Straight /non serrated cutting edge          Material: Stainless steel          Blade length: 2 to 4 1/2 inch          With plastic handles          Brand name permanently marked on the item</p>	pcs	24		
6.	<b>Oysters knife</b>	<p>Material: High-carbon stainless steel, 1.5mm thick          Blade Length: 2.5 to 3.5 inches (6-9 cm)          Total Length: 6-8 inches (15-20 cm)          Handle Length: Minimum 4 inches (10 cm)          Handle Material: wood, plastic, or rubberized grip for non-slip use          Blade Shape: Curved or straight, with pointed tip for precision shucking          Blade Thickness: 1.5mm to 2mm          Weight: 100 to 150 grams</p>	set	24		

7.	<b>Dough Cutter</b>	Material: High-carbon stainless steel or flexible stainless steel Blade Length: 5 to 6 inches (12.5-15 cm) Total Length: 7 to 8 inches (17.5-20 cm) Handle Length: Minimum 3.5 inches (9 cm) Handle Material: Wood, plastic, or rubber-coated for a secure grip Blade Thickness: 1.5mm to 2mm (providing strength for cutting through dense dough) Weight: 150 to 250 grams (medium weight for controlled cutting)	set	24		
8.	<b>Serrated Knife</b>	Type: Serrated cutting edge Material : Stainless steel Blade length: 2 to 4 1/2 inch With plastic handle	2 sets	24		
9.	<b>Multi-purpose Kitchen Scissors/Shears</b>	Blade material: Stainless steel Blade thickness: 2mm minimum Total length:7 to 9 inches Comes with fine serrations Designed with a large handle for added strength and durability. With protective sheath Brand name permanently marked on the item	unit	24		
10.	<b>Stainless Steel Utility Kitchen Shears, 8.5-Inch</b>	Material: Stainless Steel body with polypropylene handle; 8.3"L x 4"W	unit	24		
11.	<b>Offset Angular Palette knife</b>	Material: Stainless steel, Thickness: 1 mm (minimum) Blade length: 6 inches (minimum) Width: 2 inches (minimum)	unit			

		Length of the handle: 5 inches (minimum)		24		
12.	<b>Cutting Board</b>	Material: Hard plastic, Minimum dimension: L=12 inches by W=10inches by Thickness=1/4inch With hole or a minimum 1/2-inch slot to hold the board in place while chopping.	unit	24		
13.	<b>Brush</b>	Material: Silicone, natural bristles, or nylon bristles (for even and non-shedding application) Total Length: 7 to 10 inches (18-25 cm) Handle Length: 4 to 6 inches (10-15 cm) Handle Material: Wood, plastic, or stainless steel Bristle Length: 1.5 to 2 inches (4-5 cm) for optimal coverage Weight: 50 to 100 grams (lightweight for easy handling) Heat Resistance: Up to 500°F (260°C) for silicone brushes	unit	24		
14.	<b>Funnels</b>	Material: Plastic or silicone made of food grade high-quality plastic, BPA free, non-toxic, odorless Total Diameter: 3 to 5 inches (7.5 to 12.5 cm) Height: 4 to 8 inches (10-20 cm) Neck Diameter: 0.5 to 2 inches (1.25 to 5 cm)	unit	24		
15.	<b>Can opener</b>	<b>Can opener</b> Material: Stainless steel Total Length: 7 to 9 inches (18 to 23 cm) Handle Length: 4 to 6 inches (10 to 15 cm) Blade Material: High-carbon stainless steel or alloy Weight: 150 to 250 grams	2 units	24		
16.	<b>Carving fork</b>	Material: High-carbon stainless steel Handle Material: Stainless steel Total Length: 10 to 12 inches (25 to 30 cm) Handle Length: 4 to 5 inches (10 to 12.5 cm)	pair	24		

		Fork Length: 6 to 8 inches (15 to 20 cm) with two tines Weight: 150 to 300 grams				
17.	<b>Core seed remover</b>	Material: Stainless steel Total Length: 6 to 8 inches (15 to 20 cm) Handle Length: 3 to 4 inches (7.5 to 10 cm) Blade Length: 2 to 3 inches (5 to 7.5 cm) Weight: 50 to 150 grams Design: Hollow tube to remove seeds or cores from fruits like apples, pears, or melons	unit	24		
18.	<b>Graters</b>	Type: Box Grater or Handheld Grater Material: Stainless steel Total Length: 8 to 12 inches (20 to 30 cm) for box graters; 6 to 8 inches (15 to 20 cm) for handheld Grating Surface: Multiple sides, with different grating options (fine, coarse, slicer) Handle Length (for handheld): 4 to 6 inches (10 to 15 cm) Weight: 200 to 400 grams (for box graters), 100 to 200 grams (for handheld)	unit	24		
19.	<b>Peeler</b>	Stainless steel blade Width: 65 to 75mm Length including the handle: 120mm (minimum) Designed with swiveling twin blades Stain and rust resistant With Y shape and non-slip handle	unit	24		
20.	<b>Pepper and salt grinder</b>	Type: Manual Grinder Material: Stainless steel grinding mechanism; Glass body Manual Grinding bottle Adjustable Grind Spice Dimensions: 2.5"W x 7.5"L Easy to Refill - 200 ml Capacity	unit	24		
21.	<b>Potato masher</b>	Type: Manual Potato Masher	unit			

		Material: Stainless steel Total Length: 10 to 12 inches (25 to 30 cm) Handle Length: 5 to 6 inches (12.5 to 15 cm) Masher Head: Square or oval design with flat or ricer-style perforations Weight: 150 to 250 grams Handle Material: Wood, plastic, or stainless steel		24		
22.	<b>Tenderizer (Mallet Tenderizer)</b>	Type: Meat Mallet Tenderizer Material: Stainless steel Total Length: 10 to 12 inches (25 to 30 cm) Head Length: 3 to 4 inches (7.5 to 10 cm) Weight: 300 to 500 grams (providing sufficient heft for tenderizing) Handle Material: Wood, rubberized or plastic grip Design: One side flat for tenderizing, the other side textured for tougher cuts of meat	unit	24		
23.	<b>Zester</b>	Material: Stainless steel blade and handle Total Length: 7 to 8 inches (17.5 to 20 cm) Handle Length: 3 to 4 inches (7.5 to 10 cm) Blade Length: 4 to 6 inches (10 to 15 cm) Weight: 50 to 150 grams Blade Design: Small, sharp holes for extracting zest from citrus fruits (lemons, limes) or grating small amounts of other ingredients (cheese, ginger)	unit	24		
24.	<b>Tongs (one 6-inches and one 12 inches-long)</b>	Clip/Head material: Silicone food grade Material of the arm: Stainless steel Total length: 6 and 12 inches (minimum) With spring mechanism to keep the tongs open until you squeeze. With sliding lock mechanism holds the tongs shut for storage	set			

				24		
25.	<b>Measuring urn</b>	<p>Measuring Spoons  Material: Plastic, Food grade  Set contains 1/4 tsp., 1/2 tsp., 1 tsp,1/2tbsp &amp; 1 tbsp  Total length: 110mm(minimum)  Any color  Measuring capacity engraved on each measuring spoon  Designed with spoons nest and ring to keep cups together.</p>	set	24		
26.	<b>Colander, medium</b>	<p>Type: Kitchen Strainer/Colander  Material: Stainless steel  Total Diameter: 8 to 10 inches (20 to 25 cm)  Height: 3 to 5 inches (7.5 to 12.5 cm)  Handle Material: Stainless steel  Handle Length: 4 to 5 inches (10 to 12.5 cm)  Design: Round or oval shape with perforated holes for draining liquids  With Base: Some models include a non-slip base for stability during use  Hole Size: Medium-sized holes suitable for draining pasta, vegetables, or fruits</p>	unit	24		
27.	<b>Ice cream scoop,</b>	<p>(medium- and large-size) with trigger spring handle and scoop scraper mechanism  Material: Stainless steel  Scoop width: 2 inches (minimum)  Total length: 7 1/2 inch minimum  Depth: 2 1/8" and 2 5/8" (medium- and large-size)  With trigger spring handle and scoop scraper mechanism</p>	unit	24		
28.	<b>Dry and Liquid Measuring Cups</b>	<p>Material: Plastic, Food grade  Set contains;1/4 cup, 1/3 cup, 1/2 cup ,3/4cup &amp; 1 cup  Total length: 110mm(minimum)</p>	set			

		Measuring capacity engraved on each measuring cup Designed with nest and ring to keep cups together		24		
29.	<b>Filling Funnel</b>	Material: Soft Plastic, Non-toxic, BPA-Free Set contains: 1 funnel Total height: 4 to 6 inches Funnel diameter: 3 to 5 inches (wide enough for sensory play) Features: Smooth edges for safety, non-slip base, brightly colored for visual stimulation, lightweight design for easy handling	unit	24		
30.	<b>Parisienne scoop</b>	Material: Soft Silicone, Food-grade, Non-toxic Set contains: 1 scoop Scoop diameter: 2 to 3 inches Features: Soft-touch grip, rounded edges for safety, large easy-to-hold handle, lightweight for little hands Weight: Lightweight for easy handling	unit	12		
31.	<b>Double Boiler, medium</b>	Material: Food-grade Silicone or Plastic Set contains: 1 lower pot, 1 upper pot Capacity: 2 to 3 cups (smaller size for sensory play) Height: 6 to 8 inches (adjusted for play size) Features: Non-slip base, textured surfaces for sensory exploration, easy-to-hold handles, soft-touch for safety	set	24		
32.	<b>Paellera</b>	Material: Soft Silicone or BPA-Free Plastic Set contains: 1 pan Pan diameter: 8 to 12 inches Features: Two easy-grip handles, lightweight design for easy lifting, textured surface for sensory feedback, safe for use with play food Weight: Lightweight for easy handling	set	24		

33.	<b>8-Quart Large, Heavy Pot</b>	Material: Stainless steel Capacity: 12 quarts (minimum) Diameter= 9 to 11 inches Minimum depth= 9 inches With Stainless steel lid and handle Retains heat temperature up to 500° F. Graduation permanently marks in liters and quart	pc	12		
34.	<b>Saucepan</b>	Material: Stainless Steel Capacity: 2 quarts minimum Nonstick coating Length including the handle: 14 inches minimum Handle material: Hard plastic with black color Cover equipped with heat resistant glass lid, steam vent. And plastic knob With provision for hanging storage	set	24		
35.	<b>Pastry Blender</b>	Material: Stainless Steel Shape: 5-blades Dimensions: Width: 5" Depth: 5.35" Height: 1.73"	unit	12		
36.	<b>Blender</b>	Power – 450-watt motor Speed – 8-speed settings Function – Continuous blending (buttons 1-3 or 5-7) or controlled/pulse blending (4/8 buttons) Durability – Exclusive All-Metal Drive™ system Blade – High performance ice-crushing stainless steel blade Capacity – 5-cup (1.25L) heat-resistant glass jar Warranty – 1 Year Warranty Dimensions – 25.5 x 18.5 x 32 cm	unit	12		
37.	<b>Meat Slicer</b>	Specification: Voltage: 220V and 120V Power:150W	unit	12		

		Blade Diameter:19cm Product specification: 35.5 x 25 x 27.5cm Blade material: Food grade stainless 77steel Slice thickness: 1-15mm adjustable Blade Material Stainless Steel				
38.	<b>Bread toaster</b>	9-liter capacity 30-minute timer with bell ring Full silver body 2 pcs. quartz heating elements 1 knob timer Accessories: baking tray, wire rack 364x232x195mm Could accommodate 2-slice breads	unit	12		
39.	<b>Electric Hand beater/mixer - with 5-speed settings</b>	Electric Hand beater/mixer - with 5-speed settings, with turbo function, stainless steel beater and dough hook, and ABC Plastic Power: 300 watts; Operating voltage: 220-240 volts Two pairs of strip beaters, plus dough hooks, cord length: 1.2 m 5 speeds plus turbo for a variety of recipes 1.2m cord for longer reach Includes: hand mixer, stainless steel dough hooks and stainless-steel strip beaters Power: 300 watts Includes: Includes: hand mixer, stainless steel dough hooks and stainless-steel strip beaters  Power rating: 150W (minimum) Voltage: 220V/60Hz. Minimum of 5-speed control	set	12		

		<p>With double attachment for stainless steel beaters and dough hooks</p> <p>With a minimum of one(1 )meter power cord and type A plug</p> <p>Equipped with overload protector</p> <p>Comes with user guide in English</p> <p>Brand name permanently marked on the item</p>				
40.	<b>Rotary eggbeater</b>	<p>Stainless steel Rotary eggbeater</p> <p>Push action rotation whisk</p> <p>Dishwasher safe</p> <p>Size 12×33×8cm</p> <p>Weight 0.5kg</p>	unit	24		
41.	<b>Digital Weight Scale</b>	<p>Digital Weight Scale -</p> <p>Accurate measurements: consistently accurate within 1 gram to 10 kilogram</p> <p>They should also be easy to read, even under wide mixing bowls or pans;</p> <p>an elevated weighing platform or pull-out display makes that easier</p> <p>Capacity: 10kg Division: d=1g</p> <p>Material: ABS plastic</p> <p>Flat Touch keys, Unit : g, lb,oz</p> <p>Display: 45*21mm 4bit LCD</p> <p>Power : 2pcs 1.5 V AAA or AA battery (included)</p> <p>Product dimension: 24*16.8*3cm</p> <p>Product weight: 375g</p> <p>4 highly precise strain gauge sensors system</p> <p>Overload and low battery indicator</p> <p>Automatic zero tracking and Automatic power offs</p>	set	24		
42.	<b>Tabletop Oven</b>	<p>55-liter capacity</p> <p>60 min. timer with bell ring</p> <p>Thermostat control 100 to 250°C</p>	1 unit	12		

		<p>Stainless steel heating elements  Stainless steel housing  Convection function  Rotisserie function  Inner light  Indicator lamp  5 stages of heating &amp; function selector  Heating selector switch  Tempered glass door  Accessories: bake tray, baking rack, tray/rack handle, rotisserie stick, and rotisserie fork  Inner dimension 420x340x290mm (should accommodate 12-holes muffin pan) 575x440x372mm  - and consider the power usage.  Rated Voltage: 230V~  Rated Frequency: 60Hz  Power Wattage: 1800 W  Cord length: 2m</p>				
43.	<b>Timer</b>	<p>Material: Hard- food grade- and non-toxic plastic;  6.7cm x 7.2cm;  with Large Number Display;  with minute, second, and start/stop tactile buttons,  with hanging hook, retractable stand, and magnet stand;  with clear, loud, and audible alarm, and  battery operated</p>	1 unit	12		
44.	<b>Half Sheet Pan</b>	<p>"Material: Steel, reinforced non-stick coating.  Food grade, rust resistant  Thickness: 0.5 to 1mm  Minimum size: Length=13inches; Width= 9;inches  ;Height=1inch</p>	2 units	24		

		<p>Comes with tapered sides on this pan Heat Resistant up to 230 degrees Centigrade Smooth curved rim design or rolled edge for durability and prevent from sharp edges</p> <p>Half Sheet Pan - A rimmed sheet pan is great for roasting vegetables, making one-pan dinners, and baking. It is also referred to as baking tray, baking sheet, or baking pan, is a flat, rectangular metal pan placed in an oven. The most common size of sheet pan is actually known as a half sheet—full sheet pans in standard depths of 20, 40, 65, 100, 150 and 200 mm</p> <ul style="list-style-type: none"> <li>- Stainless steel baking sheets</li> <li>-with a wire enclosed in the rim (wire reinforced sheet pans) increase their durability and keep the pan from warping and add extra strength</li> <li>- fall within the 10- to 18-gauge range, 10-gauge pans (about 0.102 inch) as the thickest options you should reach for, and 18-gauge (about 0.0403 inch thick) as the thinnest</li> <li>- Color: Silver , Shape: Rectangle, Material: Stainless Steel, Package Included: 1* Baking Pan Size: 22.8x14.8x1.2 CM / 26.5x15.5x1.2 CM / 33x17x1.5 CM / 34.5x21.5x1.5 CM / 35x25x1.5 CM Quantity: 1Pc</li> </ul> <p>Features:</p> <ol style="list-style-type: none"> <li>1. Food grade stainless steel, no rust, no chemicals, very suitable for oven use.</li> <li>2. Easy to clean: The baking sheet pans is smooth around the edges, have no rough spots, superior mirror-finished surface, easy to clean, and is also very safe for dishwashers.</li> </ol>				
--	--	--	--	--	--	--

		<p>3. Fast and uniform heating and cooling, Perfect for baking and cooling bacon, vegetables, chicken wings, ribs, biscuits, etc.</p> <p>4. Applicable scene: Hotel, meals, coffee, tea, fruit plate, and water tray."</p>				
45.	<b>Cupcake baking tray (6 holes)</b>	<p>Material: Stainless steel</p> <p>Overall pan size: 11.44" x 7.12" x 1.25" (cavity top dia.2.75", bottom dia. 2"),</p> <p>Each pan has 6 standard cups</p>	unit	24		
46.	<b>Pie Cutter</b>	<p>Material: Stainless steel</p> <p>Size measurement: 19cm * 6.5cm</p> <p>Color: Silver</p> <p>With hanging hook at the tip of the handle for hanging storage</p>	unit	24		
47.	<b>Cooling Racks</b>	<p>Main material: Stainless Steel rod diameter 3 to 4mm</p> <p>Minimum dimension: Length=15 1/2 inch; Width=14 inches; Height=7inches</p> <p>Designed with 3 tier baking rack</p> <p>Cooling Racks - made out of food-safe material, stainless steel or aluminum and are heat resistant and safe to use in hot ovens</p> <ul style="list-style-type: none"> <li>-grid and not just wires that run in one direction</li> <li>-thicker frame around the edges of the rack makes for a stable rack</li> <li>- wire rack fits snugly in a half-sheet pan</li> <li>- oven-safe that is uncoated wire racks to withstand higher oven-safe temperature</li> <li>- Dimension: fits with the 1 " depth half-sheet pan in the oven</li> </ul>	unit	24		

48.	<b>Cake decorating</b>	1. Rotating Cake Stand with Board - Non-Slip 11 Inch Cake Turntable with 360° clockwise and counterclockwise rotation	unit	24		
		2. Offset Spatula Blade Length: at least 8 to 9 inches Material: stainless steel Handle: Polypropylene is a popular choice for the handle due to its durability and comfortable grip\				
		3. Parchment Paper Material: 100% cellulose, often with a silicone coating Density: around 40-41 g/m <sup>2</sup> Width: at least 38 cm to 80 cm Length: at least 8m Temperature Resistance: Generally for temperatures up to 420-450°F (216-232°C) Features: Non-stick, greaseproof, waterproof, and heat-resistant Applications: Used for baking, roasting, steaming, and separating food item				
		4. Silicone Piping Bags Material: Food-grade silicone, known for its durability, flexibility, and heat resistance Durability: Won't split or tear easily, and can withstand pressure from squeezing With smooth interior Size: at least 12 inches to 18 inches Reusable				
		5. Basic Piping Tips: round tips 2A, 3, 5 and star tips 1M, 16, 21; Stainless Steel				
		6. 3 types of Icing Scrapers Food grade plastics With smooth and clean edge and serrated edge scraper for design				

		Material: stainless steel Size: 12 x 3 x 0.7 inches (smooth and clean edge) and 5.25 x 3.65 x 0.2 inches (for serrated edge) Lightweight, flexible, sturdy and durable				
		7. Adjustable 2-wire dual -layer cake cutter 13.2 cm height; 32 cm width; Stainless steel				
49.	<b>Cheese Cloth</b>	Material: Cotton or Muslin Dimensions: Typically, 36 to 45 inches (91 to 114 cm) in length, 18 to 24 inches (46 to 61 cm) in width Weight: 150 to 250 grams (depending on fabric thickness) Mesh Size: Fine to medium weave, usually around 40 to 60 threads per inch Design: Reusable, lightweight, breathable fabric with a loose weave for straining liquids while allowing air circulation	pcs	24		
50.	<b>Cookie press</b>	Material: Stainless steel Capacity: Typically holds 0.5 to 1 cup (120 to 240 mL) of dough Design: Handheld press with interchangeable discs for various shapes Length: 7 to 10 inches (17.5 to 25 cm) Diameter of barrel: 2 to 3 inches (5 to 7.5 cm) Handle Material: Stainless steel for durability and grip Weight: 200 to 500 grams (depending on material) Operation: Manual press, operated by squeezing a handle to extrude dough through the chosen shape disc	1 set	12		
51.	<b>Coupler</b>	Material: Stainless steel Dimension: 4.5cm L x 3.4cm W (Coupler) x 2.4cm W (Nozzle)	set			

		Design: Dual-ring design for securing piping tips to decorating bags, Food Grade Material, Non-Stick Finish, Strong and durable, Easy to use. Weight: 20 to 50 grams		24		
52.	<b>Mixing Bowls 3-sizes</b>	Mixing Bowls - set of Stainless Steel Bowl Set (use to keep in the heat or the cold) and Heat-proof Glass Mixing Bowls (use to melt ingredient in the microwave or when doing a 'Bain-Marie'.7.5-inches diameter; fully tempered glass guarantees full safe fragmentation in case of breakage.) There's a whole world of mixing bowl options out there, but the crucial thing when choosing a set is picking one that contains multiple sizes. Material matters, so you'll want to determine how you plan on using them. Want to serve dinner from your bowls? Consider a set with a pretty aesthetic. Plan on using hand mixers? Go for a set with a non-slip bottom. for stainless steel mixing bowl capacities: 5-, 3-, and 1.5-quarts it should be are sturdy, well-made, and the best option of all our picks if you use a hand mixer. That's because they're deep set and effectively keep splashes in the bowl (not all over your counters), brushed stainless exteriors and rolled-edge lips provided ample traction and grip to hold and maneuver the bowls with one hand, 18/10 stainless steel (18% chromium, 10% nickel) and Large bowl: Outside diameter = 10 1/8 in, Inside diameter = ~9 1/2 in, Outside height = 5 3/8 in, Inside depth = 5 1/4 in Medium bowl: Outside diameter = ~8 5/8 in, Inside diameter = 7 7/8 in, Outside height = 4 5/8 in, Inside depth = 4 1/2 in Small bowl: Outside diameter = 7 in, Inside diameter = 6 1/4 in, Outside height = 3 5/8 in, Inside depth = 3 1/2 in.	set	24		

		<p>For glass mixing bowl - capacities: 1/2 quart ( 5.5" x 2.25") &amp; 1- 1/2 quart (8" D 3-1/4" H,) IMPACT &amp; CHIP RESISTANT, EXTREMELY DURABLE tempered glass is 2.5 times stronger than ordinary glass  SHOCK RESISTANT 2-1/2 times more resistant to breakage and chipping than normal glass, withstand sudden thermal shock: from withstand sudden temperature extremes from -4°F to 266°F and is suitable for hot or cold liquids  FREEZER, MICROWAVE &amp; DISHWASHER SAFE; Adaptable modern glassware can go directly from the freezer to the microwave  STACKABLE; are stackable for convenient and space saving storage; HYGIENIC Nonporous glass does not absorb liquid  TOP QUALITY Constant quality control guarantees excellence and built in durability insures that products will maintain their look for many years</p> <p>Material: Stainless steel and  Thickness: 0.4mm to 0.6mm  Type: Mixing Bowl (6 pcs per Set)  Set includes sizes 1 3/4, 2, 3 1/2, 5, 6 &amp; 8 and  7.5 " diameter fully tempered glass mixing bowl</p>				
53.	<b>Parchment Paper/ Baking Paper</b>	<p>Unbleached parchment  12 to 15 inches width  Minimum of 45 meters per roll  Nonstick  Heat resistant quality</p>	roll	24		
54.	<b>Pastry Brush</b>	<p>Material: silicone bristles, wood or plastic handle; soft bristle 0.35mm; hard bristle 0.60mm</p>	set	24		

55.	<b>Pastry Mat</b>	Material: Silicone; rectangular 400x600mm or 600X800 mm	set	24		
56.	<b>Pastry tubes</b>	Material: stainless steel; 6 pcs per pack with various tubes	pc	36		
57.	<b>Piping bag</b>	Material: Plastic or polyethylene; 21" or 24"	pack	12		
58.	<b>Scraper</b>	Material: stainless steel; 15L x 11.4W centimeters	unit	24		
59.	<b>Set of 3 Fine Mesh Stainless Steel Strainers (5" - 7" - 8"-)</b>	Material: Stainless steel Diameter: 6 inches minimum 30 to 35 mesh per square inch Comes with ear hanging design and stainless-steel handle Material: Stainless steel Depth: 5 inches, 7 inches & 8 inches Mesh size ranges from 1 to 2 mm capacity 3 to 5 cups With stainless steel extended handle and a bowl hook design on other side It can be hung on the kitchen wall. Set: 1 piece 5", 1 piece 7", 1 piece 8"	set	12		
60.	<b>Set of Large and Small Balloon Whisk/Wire Whisk</b>	Type: Wire Whisk, balloon type Material - Stainless steel Length including the handle - 29 cm (minimum)  Set of Large and Small Balloon Whisk/Wire Whisk - Whisk that is not too big or too small but can easily move around in any sized bowl. The large one for any cake batter or other preparation, while the small one is great to use when making curds in a small pot or beating eggs.	set	12		

		Sturdy that does not bend or break when used frequently with silicone wrapped around the wires that whisk the ingredients and also scrape the bowl				
61.	<b>Silicone/ Rubber One Piece Design Spatula</b>	Silicone/ Rubber One Piece Design Spatula - Solid or no open joints between the head and handle, heat resistant non-stick, and flexible Dimension: Head - 1.7" Length: 8.4" and Head - 1.96" Length: 10.6" HEAT RESISTANT: 100% food grade silicone material, BPA-free. Heat resistant up to 480°F. No melt. Will not discolor, warp, melt or chip. ERGONOMICAL DESIGN: Great angles for scraping, flexible silicone head, metal core for extra strength, ergonomic handle, hole for easy hanging storage. EASY TO CLEAN AND STORE: Hole for easy hanging storage. Stain and odor resistant.	unit		24	
62.	<b>Coffee Mugs (Duralux or ceramics)</b>	10 3/8 oz, fully tempered glass guarantees full safe fragmentation in case of breakage	pcs		72	
63.	<b>Cutting board</b>	Material: wood or plastic; rectangular 12 inches by 18 inches	set		24	
64.	<b>Dish towels</b>	Material: cotton; 20" x 30" (50 x 75 cm)	pack		12	
65.	<b>Glass rack</b>	Material: plastic; rectangular crate; Capacity: 24 glass slot	set		12	
66.	<b>Glasses (Duralux Glass) or</b>	10 3/8 oz, fully tempered glass guarantees full safe fragmentation in case of breakage.	pc		72	
67.	<b>Plate rack</b>	Material: stainless steel or plastic; rectangular 42cm x 30cm x 12cm	set			

				12		
68.	<b>Plates 8-inches diameter (Duralux or ceramics)</b>	9.25-inches diameter; Fully tempered glass guarantees full safe fragmentation in case of breakage.	pc	72		
69.	<b>Saucers 5-inches diameter (Duralux or ceramics)</b>	7.5-inches diameter; Fully tempered glass guarantees full safe fragmentation in case of breakage.	pc	72		
70.	<b>Oven thermometer</b>	<p>Oven thermometer- A utensil used to check the temperature of the oven so the reading can be compared to the temperature set on the oven dial. With the use of an oven thermometer, temperatures can be checked to insure it remains consistent throughout the baking or roasting time. Necessary for food safety: Thermometer displays true oven temperature instantly to ensure safe food preparation</p> <p>Extreme temperature range: Thermometer reads between 60° and 580° degrees Fahrenheit - 20° and 300° degrees Celsius</p> <p>Perfect for any kitchen: Designed for professional kitchens with the highest quality in mind; Works perfectly in any home or commercial space</p> <p>Many uses: This product is perfect for traditional ovens, toaster ovens, grills, smokers, or any heat-based food appliance</p> <p>Durable material: Stainless steel construction and shatter proof lens make this thermometer highly dependable</p> <p>Battery free design: Mechanical thermometer reads instantly and without the need for battery power. Can be installed hanging or standing</p>	unit	12		

		<p>National Sanitation Foundation Certified: This NSF certified product has been cleared for safe use with food and in kitchen environments</p> <p>The item shall have the following specifications.  Material: Stainless steel  Base dimension: 1 inch by 2 inches (minimum)  With hook that could be adjustable to the top oven rack.  Measures oven temperature from 100 to 600°F/ 50 to 300°C</p>				
71.	<b>Pans</b>	<p>Baking Pans:  -Square Pan  -Round Pan  -Baking Pan  -Muffin Pan  -Pie Pan  -Flat Baking Tray</p>	set	12		
		<p><b>1. 9" x 9" Loaf Pan</b>  Baking Pans - 1. 9x9-inch size square pan,  Material: Aluminum Steel, reinforced non-stick coating.  Food grade, rust resistant  Thickness: 1mm  Length &amp; Width=21 to 23cm, Height=4 to 6cm  Square pan  Heat Resistant up to 230C  Smooth curved rim design for durability and prevent from sharp edges</p>				
		<p><b>2. 8" Round Pan</b> (Round Springform Pan for cakes and cheesecakes,) Material: Aluminum Steel, non stick  Height: 1 inch (minimum)  Set consist of 3 different diameter size:</p>				

<p>Small= 7.9 inch (minimum)  Medium=10.9 inch(minimum)  Large= 11.75 inch (minimum)  Round shape baking pan  Designed with fluted edges  Thickness: 1mm</p>				
<p><b>3. 9"×13" Baking Pan,</b>  Material: Thickness: 1mm; 12- holes muffin pan (Cup Top Diameter: 70mm. Cup Bottom Diameter: 55mm. Cup Depth: 35mm),  Cavity minimum size: 55 mm diameter by 35mm depth</p>				
<p><b>4. deep-dish 9" Pie Pan</b> Material: Thickness: 1mm, reinforced non-stick coating; food grade; rust resistant; 12 cavities pie pan for cup cake use  Minimum size of diameter: 9 inches  Heat Resistant up to 230 degrees Centigrade  Smooth curved rim design for durability and prevent from sharp edges</p>				
<p><b>5. 15" x 13" Flat Baking Tray</b> for cookies,  Material: Aluminum Steel  Food grade, rust resistant  Thickness: 1mm  Minimum size: Length=15inches; Width= 13inches  Heat Resistant up to 230 degrees Centigrade  Smooth curved rim design or rolled edge for durability and prevent from sharp edges</p>				
<p><b>6. 9"× 5" LOAF PAN</b></p>				

		Material: Material: Aluminum Steel, reinforced non-stick coating. Thickness: 1mm Minimum size: Length=9inches by Width=5inches by Height=2inches Rectangular pan				
72.	<b>Serving Spoon</b>	Material: Stainless steel; 21.0cm / 8.3"	pc	72		
73.	<b>Utility tray</b>	Material: stainless steel; rectangular; 9" length x 6.75" width x 1" height; no sharp edges; Thickness: at least 4-5mm	pc	36		
74.	<b>Serving tray</b>	Material: Rubber; rectangular 18"L x 26"W; nonskid and with handle Thickness: at least 6-8mm	pc	36		
75.	<b>Gas Tank (11 kgs)</b>	11kgs cylinder LPG tank with ancillary product (1.5m rubber hose, Auto-shut off valve (de salpak), and regular) with Product Standard or ICC markings	set	12		
76.	<b>Wok, medium</b>	Type: Traditional Material: Carbon steel Total Diameter: 10 to 12 inches (25to 30 cm) Height (Depth): 3 to 5 inches (7.5 to 12.5 cm) Handle Material: Wood or heat-resistant plastic Weight: 500 to 900 grams (medium weight for balance in cooking) Base Type: Flat or round bottom Width Lid: Optional, some models may come with a lid for steaming	Pcs	24		
77.	<b>Wok, small</b>	Material: Carbon steel Total Diameter: 8 to 10 inches (20 to 25 cm) Height (Depth): 3 to 4 inches (7.5 to 10 cm) Handle Material: Wood or heat-resistant plastic	Pcs	24		

		Weight: 400 to 700 grams (lightweight for easy handling) Weight Capacity: can hold 1 to 2 servings of food Base Type: Flat or round bottom Width Lid: Optional, some models may come with a lid for steaming				
78.	<b>Stainless Steel 10" Skillet</b> (frying pan)	Capacity: 2 liters minimum 10 inches minimum diameter Designed with flat base and gently curved sides Can hold up to 500 degrees Fahrenheit Handle material: Hard plastic with black color Color equipped with heat resistant glass lid, steam vent, and plastic knob With provision for hanging storage	units	24		
79.	<b>Fish poacher, medium</b> - Stainless Steel Fish	Height: 19 cm Width: 12.5 cm Weight: 2.5 Kg	sets	24		

I hereby certify to comply with and deliver all the above requirements.

\_\_\_\_\_  
Name of Company/Bidder

\_\_\_\_\_  
Signature Over Printed Name of Representative

\_\_\_\_\_  
Date

**SUPPLY AND DELIVERY OF SPORTS EQUIPMENT FOR LEARNERS WITH DISABILITIES FOR DEPED-CAR  
LOT 3**

No.	Item Name	Design Specification:	Unit	Qty	Statement of Compliance (State whether you comply or not comply)	state the brand and model of the specifying product offered with an attachment of official brochure or unamended sales literature
1	<b>Goal Ball Set</b>	<p>Goal Ball with bell - Description: A blue, 25cm (approx. 10”) diameter goalball ball, manufactured from heavyweight rubber and weighing 1250g (44oz). The match ball has three metal bells inside which can be heard through eight holes in the rubber</p> <ul style="list-style-type: none"> <li>- 22-26 cm diameter</li> <li>1250 grams</li> <li>Goal ball goal (net) 700-900cm x 130cm</li> <li>Aluminum Tube Frame 40 mm, diameter 9 mm</li> <li>Goal Ball Set</li> </ul> <p>The goalball set consist of the following items:</p> <ul style="list-style-type: none"> <li>- One goalball with bell</li> <li>- Two goalball goal</li> <li>- Two heavy-duty carry bag</li> <li>- Side frame and intermediaries</li> <li>- Crossbar and back bar</li> <li>- Blackout eyeshades</li> <li>- Tri-clip net fixing</li> </ul> <p>Measurements: The approximate measurement:</p>	set	12		

• Goal Ball: 22-26cm (diameter)  
Goal Ball with bell - Description: A blue, 25cm (approx. 10") diameter goalball ball, manufactured from heavyweight rubber and weighing 1250g (44oz). The match ball has three metal bells inside which can be heard through eight holes in the rubber  
- 22-26 cm diameter  
1250 grams  
Goal ball goal (net) 700-900cm x 130cm  
Aluminum Tube Frame 40 mm, diameter 9 mm  
Goal Ball Set

The goalball set consist of the following items:

- One goalball with bell
- Two goalball goal
- Two heavy-duty carry bag
- Side frame and intermediaries
- Crossbar and back bar
- Blackout eyeshades
- Tri-clip net fixing

Measurements:

The approximate measurement:

- Goal Ball: 22-26cm (diameter)
- Weight: 1250g
- Goalball goal: 700 – 900cm x 130cm
- Aluminum tube frame: 40mm diameter 9

Note: All size measurements are with - 5% tolerance

Specifications:

Goalball:

- Made from a strong, heavyweight rubber outer layer with eight holes in the outer shell and contain three metal bells

		<ul style="list-style-type: none"> <li>• Color may vary</li> </ul> <p>Goalball goal:</p> <ul style="list-style-type: none"> <li>• Aluminum circular tube frame, tube back net support</li> <li>• Aluminum anchor loops</li> <li>• Fully welded sides</li> <li>• No brackets or protrusion</li> <li>• With goal post foam</li> <li>• Each Goalball set should come with a BLR branding sticker;</li> </ul> <p>Packing:</p> <ul style="list-style-type: none"> <li>• Goalball with bell must be packed suitable for its weight and volume.</li> <li>• The suppliers must specify the type of box/container that will be used to pack the goalball with bell; at a minimum, the box/container must protect the goalball with a bell from rain, moisture, dust, dirt, or other elements.</li> </ul> <p>Product Certification and Standards:</p> <ul style="list-style-type: none"> <li>• Imported products should pass international quality control product standards and have international quality control product markings such as CE, ISO, ASTM, ASQC, AFCIQ, ASQ, DGQ, EOQC, IQA, EC, and EN71.</li> <li>• Instructional manual/Teacher's Guide and maintenance tips in English must be included.</li> <li>• Supplier(s) must be a holder of valid FDA License to Operate (LTO) as Household/Urban Hazardous (HUHS) Manufacturer, Trader, Distributor.</li> <li>• Bidders shall provide documentary evidence of conformity of the goods with the technical specifications, including drawings and submission of a complete set of sample items.</li> </ul>				
2	<b>Bocce Ball Set</b>	BOCCE BALL - Carrying Case Dimensions: (L)7" x (W)7" x (D)7"; Set includes 4 green and 4 red balls with two different	set	12		

		scoring patterns of 3.5” diameter, and 1 pallino ball, 1.5” diameter				
3	<b>Trampoline</b>	Material: Steel frame, durable polypropylene/mesh mat, rubber or elastic bands Dimensions: 36 to 60 inches diameter Features: Padded edges, non-slip rubber feet, handlebar for support, low-to-ground design for safety, bright colors for visual appeal Weight Capacity: 50 to 150 pounds Designed for: Promoting balance, coordination, motor skills, and sensory integration	unit	24		
4	<b>Yoga Ball</b>	65 cm Extra strong PVC material; non-toxic, BPA-free PVC or anti-burst material, featuring a non-slip textured surface for better grip. Non slip surface and washable. High pressure resistance Diameter 55CM (22 inches) weight capacity of 300 to 400 pounds -For improving balance, posture, visual, hand-eye coordination, vestibular response, and gross motor skills.	pc	36		
5	<b>Shot puts</b>	-3-,4-,5-, and 6-kilos 3 shotputs each kilo 3 kilogram iron shot put: made of solid cast iron; 94mm diameter 4 kilogram iron shot put: made of solid cast iron; 95-110mm diameter 5 kilogram iron shot put: made of solid cast iron; 100-120mm diameter 6 kilogram iron shot put: made of solid cast iron; 100-125mm diameter Set: 1 piece 3 kgs, 1 piece 4 kgs, 1 piece 5 kgs, 1 piece 6 kgs,	set	144		
6	<b>12” cone markers</b>	Materials: Plastic; 12”, orange cone	pc	36		
7	<b>Goggles</b>	Swimming Goggles - Anti fog coated and polycarbonate lenses; 100% UV protection clear lenses; silicone strap; comfortable	Pair	72		

		thermoplastic rubber gasket; polyetherane nose bridge (5 nose bridge size options); sleek, low profile lens shape				
8	<b>Swimming caps</b>	Materials: Silicon; Tight fitting, flat seamless, dome shaped	set	72		
9	<b>Starting Pistol</b>	<p>3 in 1 Function starting pistol/signal/starting gun</p> <ul style="list-style-type: none"> <li>Starting pistol for T&amp;F</li> <li>Whistle for team sport</li> <li>Siren for swimming</li> </ul> <p>Brand new; high quality With English Manual Sound: with adjustable volume Light: LED, high visibility to alert timers at the finish line Connectivity and Functionality:</p> <ul style="list-style-type: none"> <li>Amplifier Connection: can be connected to an external amplifier for larger sound</li> <li>Timing System Compatibility: Some pistols have an output jack to connect to timing systems, allowing for automatic start time recording.</li> <li>False Start Detection: Some models may have a feature to detect and signal false starts</li> </ul> <p>Power &amp; Battery:</p> <ul style="list-style-type: none"> <li>Rechargeable Battery: Many digital starting pistols use a rechargeable lithium battery.</li> <li>Battery Life: Expect several hours of use on a full charge (e.g., 6-8 hours).</li> <li>Charging: Typically charged via a USB or similar cable</li> </ul> <p>Other specifications:</p> <ul style="list-style-type: none"> <li>Handheld and Lightweight ‘</li> </ul>	unit	12		

		<ul style="list-style-type: none"> <li>Accessories: include a carrying case, charging cable, and connection cables.</li> </ul>				
10	<b>Starting Pistol Speaker</b>	Output power: at least 20-30W May include multiple sound options: simulated gunshot, whistle, or beep; Produce a loud, clear sound often with multiple sound option; With built-in rechargeable batteries; May connect to external amplifiers or other devices; May use standard AA batteries or rechargeable lithium batteries and a working time at least 4 to 6 hours	unit	12		
11	<b>Kick Board</b>	Material: Density Foam; 45x32x4 cm	unit	72		
12	<b>Flippers</b>	Material: Soft Rubber; 9.45"L x 4.53"W; Pull on type; unisex	unit	72		
13	<b>Tether</b>	Materials: Strong cotton; 20 inches long band with handles at both ends	unit	36		

I hereby certify to comply with and deliver all the above requirements.

\_\_\_\_\_  
Name of Company/Bidder

\_\_\_\_\_  
Signature Over Printed Name of Representative

\_\_\_\_\_  
Date

**SUPPLY AND DELIVERY OF MANIPULATIVES FOR LEARNERS WITH DISABILITIES FOR DEPED-CAR  
LOT 4**

No.	Item Name	Design Specification:	Unit	Qty	Statement of Compliance (State whether you comply or not comply)	state the brand and model of the specifying product offered with an attachment of official brochure or unamended sales literature
1.	<b>Beads and Barrel</b>	Material: Plastic, non-toxic Bead and barrel radius: 6 mm (minimum) Barrel height: 12 - 20 mm With holes for interconnection At least with six (6) different colors With colored lace at least 50 cm long Number of Beads and Barrel: at least 60 pieces/set Number of colored lace: at least 2 length/set Design: Wide opening for easy bead insertion and removal Color: Bright, contrasting colors for visual stimulation Texture: Smooth or lightly textured beads for tactile feedback Safety: Smooth edges for safety	set	36		
2.	<b>Threading Shape</b>	Each set includes 120 wood string beads, approximately one inch in diameter, with a 3/8 inch lacing hole. -6 bright colors and 5 shapes: spheres, cubes, cylinders, triangular prisms, and hexagonal prisms.	set	36		
3.	<b>Odyssey Loop</b>	Materials: Non-toxic plastic, smooth-edged wood (Bead Maze) – Metal wire maze with sliding wooden/plastic beads. Dimension: 5 x 1 x 8 inches	set	36		

		Features: 5 wire mazes, 47 colorful beads Child-safe design with no sharp edges, BPA-free, lead-free 3-5 colored spiral loop wire Set of beads per loop: 6 pcs (minimum)				
4.	<b>Shape Sorter</b>	Materials: Wooden toy with 12 brightly colored, easy-to-grip shapes Each shape fits through a hole of the same shape on the wooden cube Assembled Product Dimensions (L x W x H) 6.30 x 6.30 x 6.30 Inches	set	36		
5.	<b>Buckle Pillow Toy</b>	Pillow material: Cotton / soft fabric Minimum pillow size: 18 cm X 18 cm Number of different types of latches buckle sectrum and with six(6) colors (green, blue, red, orange, yellow & light blue) Comes with button, shoe lace tying, threading, clasps, lacing, & buckles  (Fastening Practice Pillow) – Fabric pillow (~8-12 inches) with various buckles and fasteners.	set	36		
6.	<b>Bolts and Nuts building Blocks</b>	(Twist & Match Blocks)– Large plastic bolts and nuts (~2-3 inches), various shapes. Material: Plastic, non- toxic Contents: 150 pcs (minimum) Comes with constructive playthings and picture guide on assemble Comes with plastic tools (ratchet, flat screw driver & wrench) With multicolor bolts and nuts building block Comes with plastic storage box	set	36		
7.	<b>Building Blocks</b>	Material: Plastic, non toxic; square and rectangular bricks ranging from large to small ( 3.8 cm height and width , 2	set	36		

		cm height and width, 1 cm height and width, 08 cm height and width)				
8.	<b>Sorting Balls in Cups</b>	Material: Hardwood, non-toxic Minimum Bowl size: 12 cm dia. X 5 height. cm Ball diameter: 3.0 cm (minimum) Cup dimension: at least 5.00 cm height Spoon dimension: 15.0 X 6.0 cm (minimum) Set contents: 1 pc Bowl; 12 pcs Ball; 12 pcs Cup; 1 pc Spoon Balls & Cups Color: 11 colors (neon green, yellow, blue, orange, black, white, red, pink, brown, violet, & light blue) Comes with storage box	set	36		
9.	<b>Transfer Activity Set</b>	Material: Hard plastic, non toxic Set of bowl: 4 pcs (minimum), brim diameter: 4 to 5 inches Set of cup: 2 pcs (minimum) Objects used for scooping and spooning are peas and beans- 1 pack each Other set composed of the ff: Pitchers, spoons, tongs, tweezers, chop sticks, sponges, basters and droppers . At least two activities can be performed by multicolored transfer activity set Comes with wooden tray Comes with storage box	set	36		
		<b>Tongs:</b> at least 6 inches long				
		<b>Pitchers:</b> with lid-tightly closed Color: transparent Capacity: at least 14-16 ounces Dimension: Width: 6" Height: 6.5" Handle: easy for gripping; will not leak when pouring				
		<b>Spoons:</b> Shape: rounded bowl for easy scooping and transfer				

<p>Grip: easy to hold potentially with a slightly textured handle for better grip  Length: at least 5 inches  Edges: smooth and rounded to prevent any accidental scratches or cuts</p>				
<p><b>Chop sticks:</b>  Length: at least 6.5 to 7.5 inches  Lightweight and durable  Design: for kids feature a V-shape at the top, where the chopsticks come together, making it easier for children to grasp items</p>				
<p><b>Sponges:</b>  Size: at least 4 inches  Soft, absorbent and easy to squeeze; can withstand repeated squeezing and handling without tearing or breaking</p>				
<p><b>Basters:</b>  Length: 6 to 8 inches  Bulb/Squeeze area: large enough to be easily grasped and squeezed by small hands  Tip: narrow enough to allow for controlled pouring or squirting of water</p>				
<p><b>Tweezer:</b>  Length: at least 6-7 inches long  making them easier for small hands to grasp and manipulate  Grip: with indentations or ergonomic depressions to guide finger placement and encourage the development of a pincer grasp, which is essential for fine motor skills  Tip: rounded or blunt-tip or edges to prevent accidental pokes or scratches</p>				
<p><b>Dropper:</b>  Length: around 4 to 5 inches  Bulb: easy to squeeze; at least 5 mL capacity  Pipette: Wide enough for easy transfer of liquids and not too narrow.</p>				

		Material: Typically made of plastic or silicone for safety and durability				
		<b>Wooden Tray:</b> Size: Large: 32cm x 22cm or 40cm x 30cm Material: Wood, durable				
		Comes with <b>storage box</b> Size: with a size: 15.94"L x 11.14"W x 11.38"H Capacity: at least 12-25 liters With lid Color: Transparent With wheels and handles for easy movement				
10.	<b>Forms Set</b>	Item Weight 1.01 Pounds Item Dimensions 6.06 x 9.49 x 6.26 inches	set	36		
11.	<b>Sensory Mats</b>	(Textured Play Mats) – 10 different Textured rubber/silicone mats (~12x12 inches)	set	36		
12.	<b>Magnetic dry erase boards (8x12) with whiteboard markers</b>	8x12 vertically writing surface. White board pen (assorted color) must be quick to dry and easily erasable. White board eraser must be in rectangular shape. The fabric layers maybe treated with cleaning and anti-static compound				
13.	<b>Plastic clock (manipulative)</b>	Material: Plastic, non toxic; 220-240mm; easy-to-see numerals, large and small hands	set	36		
14.	<b>Human body anatomy model</b>	55cm Human Anatomy Model Unisex Torso Assembly detachable Visceral Anatomical Model 19 Parts. It features the brain, skull, heart, rib cage, lungs, liver, stomach, pancreas, kidneys, intestines, and spine.	set	36		
15.	<b>Traffic cones (set of 5 cones)</b>	(set of 5 cones) Material: Plastic or Rubber; 50 cm Safety Square Cone Barrel Ice Cream Cone Pile	set	36		
16.	<b>Number and Counters</b>	Materials: Rubber (Numbers), 5x7 inches	set	36		

17.	<b>Unit Division Board</b>	Material: Wood Consists of a unit division working board, a box containing 9 green unit skittles, and 81 wooden green beads. Color yellow Product Dimensions: 24 x 24 x 6 cm; 300 g	set	36		
18.	<b>Number Braille Blocks</b>	Material: Wood Contains 16 Braille Blocks Each block displays a number in both print and braille as well as sign language	set	36		
19.	<b>Counter Shape Black Base</b>	Material: Non-toxic plastic or wood Base Size: Approximately 25 cm x 20 cm x 2 cm Shapes: Various shapes (circle, square, triangle) included for counting and sorting Shape Quantity: At least 10 shapes in different colors Design: Black base with slots for placing the shapes Color: Bright colored shapes for visual stimulation	set	36		
20.	<b>Multiplication Board Set</b>	Materials: Wooden board with the numerals 1-10 printed across the top, printed cards 1-10, and a box with red beads and red discs Dimensions: 395 X 475 X 19mm	set	36		
21.	<b>Puzzle Boards - World Map 7 Continents</b>	World Map: 7 Continents, Materials: non-toxic, illustration board; Length: 35.5 cm; Width: 25.4 cm	set	36		
22.	<b>Alphabet Puzzle (upper and lower case)</b>	Upper Case Material of the letters: Plastic, non toxic Color of each letters: AEIO-red, BGLQTVY-yellow, CFKNPS - green, DJMWZ - blue, HUX - white Tray dimension: Length: at least 40 cm	set	36		

		<p>Width: at least 30 cm Thickness:0.50 to 0.80cm</p> <p>and Lower Case</p> <p>Material of the letters: Plastic, non toxic Color of each letters: aeio-red, bglqtyv-yellow, cfknps - green, djmrwz - blue, hux - white Tray dimension: Length: 28 to 30 cm Width :25 to 26 cm Thickness:0.50 to 0.80cm</p>				
23.	<b>Sandpaper Letters and Numbers</b> (upper and lower case)	<p>(upper and lower case) Material: Hardwood Tablet sizes are at least 100mm by 140 mm</p> <p>Numbers Multicolored Uppercase Sandpaper letters from A to Z Multicolored lowercase Sandpaper letters from a to z Color coded color pink for vowels and blue boards for consonant With wooden box</p>	set	36		
24.	<b>Wooden Abacus</b>	<p>Material: made of solid wood Weight: 0, 5 kg Dimensions:20 × 6 × 28 cm</p>	set	36		
25.	<b>Alphabet and Number Blocks</b>	<p>Material: Hardwood Blocks dimension: 29 to 32 mm With alphabets, numbers &amp; images inscribe or embossed on each opposite sides Comes with wooden boxes for storage</p>	set	36		

		A multicolor block				
26.	<b>Number Blocks</b>	Material: Hardwood, non-toxic Blocks dimension: 36 to 50mm With numbers inscribed or embossed on all sides A multicolor block	set	36		
27.	<b>Wooden Phonetic Reading Blocks</b>	Material: Hardwood, non-toxic Blocks dimension: 36 to 50mm With numbers inscribed or embossed on all sides A multicolor block	set	36		
28.	<b>Wooden Shape Sorting Cubes</b>	Sorting cube material: Plastic, non-toxic At least twelve (12) different shapes of sorting cube Box material: Hardwood Dimensions of box: 14 to 18cm The wooden box designed corresponds to twelve different shape of sorting cube	set	36		
29.	<b>Wooden Toys Counting Math</b>	Material: Hardwood 40 wood ring blocks in 4 colors 35 pieces wooden number tiles (3 pieces per digital number from 0 (zero) to 9 (nine) mathematical symbols +, -, /, x, = holder with 5 pillars Tiles size: at least 1 inch by 1/8 inch thick	set	36		
30.	<b>Educational Wooden Clock with Movable Hands</b>	Material: Hardwood Clock diameter: at least 8 inches Analog display type Colorful movable minute, second and hour hands Includes from 1 to 12 colorful hour numbers	set	36		
31.	<b>100 Peg Board</b>	Material of Board: Hardwood Dimension of board: at least 30 by 30cm by 1cm thick With 100 different colored pegs Consist of 10 pegs in one color	set	36		

32.	<b>Wooden Clock</b>	Material: Hardwood Clock diameter: at least 8 inches Analog display type Colorful movable minute, second, and hour hands Includes from 1 to 12 colorful hour numbers	set	36		
33.	<b>Knobbles Cylinders</b>	Material: Hardwood Cylinder diameters vary in height and diameter in each set Box painted the same color as the cylinders: red, green, yellow, and blue For red cylinder; each cylinder decreases in diameter, height stays constant For yellow cylinders, each cylinder decreases in both diameter and height For green cylinder; each cylinder decreases in diameter and increases in height For blue Cylinders – each cylinder decreases in height, diameter stays constant 20 pieces colored cylinders Four sets of knobbed cylinders Dimension knobbed cylinder: at least 15cm length X 4cm width X 3.5 height	set	36		
34.	<b>Articulation Picture Cards</b>	Material: Cardboard at least 5 inches length size With colored borders With black and white images At least 20 cards per blending words with box Composed with initial, medial, and final blending words	set	36		
35.	<b>Tower of Hanoi or Geometric Stacker</b>	Measurements: The approximate measurements of shapes in inches: · Package dimension: 8-28cm (width); 17-30cm (length); 5-8cm (height); Note: All size measurements are with - 5% tolerance	set	36		

	<p>Specifications:</p> <ul style="list-style-type: none"> <li>· Geometric shapes should be manufactured from durable and high quality wood material and durable: kiln-dried Gmelina wood, Pine wood, Bass wood, and Juniper wood;</li> <li>· Set includes of 100 pcs. wooden blocks in 9 different shapes</li> <li>· The surface finish shall be unpatterned smooth with sufficient varnish / paint coating and the wood texture will not be visible after paint application;</li> <li>· Shapes shall be manufactured with suitable straightness and/or edges must be smooth finished;</li> <li>· Geometric shape must be painted with non-toxic and lead free paint and color consistency shall be uniform in all geometric shapes;</li> <li>· Shapes come in bright and different colors</li> <li>· Each set of the geometric shapes should come in a box with BLR branding sticker;</li> </ul> <p>Packing:</p> <ul style="list-style-type: none"> <li>· Geometric shapes must be packed in appropriate boxes suitable for the weight and volume of the material.</li> <li>· The supplier's must specify the type of box/container that will be used to pack the geometric shapes; at a minimum, the box/container must protect geometric shapes from rain, moisture, dust, dirt, or other elements.</li> </ul> <p>Product Certification and Standards:</p> <p>All products must be able to pass the Philippine quality standard under the Bureau of Hazardous Devices and Toys, Department of Health (BHDT-DOH);</p> <ul style="list-style-type: none"> <li>· Imported products should pass international quality control product standards and have international quality</li> </ul>				
--	--	--	--	--	--

		<p>control product markings such as CE, ISO, ASTM, ASQC, AFCIQ, ASQ, DGQ, EOQC, IQA, EC, and EN71.</p> <ul style="list-style-type: none"> <li>· Paint, lacquer, varnish and plastic materials used must be certified non-toxic by agency or institute locally or internationally recognized.</li> <li>· Instructional manual/Teacher's Guide and maintenance tips in English must be included.</li> <li>· Supplier(s) must be a holder of valid FDA License to Operate (LTO) as Household/Urban Hazardous (HUHS) Manufacturer, Trader, Distributor.</li> <li>· Bidders shall provide documentary evidence of conformity of the goods with the technical specifications including drawings and submission of a complete set of sample item.</li> </ul>				
36.	<b>Magnetic Alphabet</b>	<p>Measurements: The approximate measurements of shapes in inches:</p> <ul style="list-style-type: none"> <li>· Package dimension: 8-28cm (width); 17-30cm (length); 5-8cm (height);</li> </ul> <p>Note: All size measurements are with - 5% tolerance</p> <p>Specifications:</p> <ul style="list-style-type: none"> <li>· Geometric shapes should be manufactured from durable and high quality wood material and durable: kiln-dried Gmelina wood, Pine wood, Bass wood, and Juniper wood;</li> <li>· Set includes of 100 pcs. wooden blocks in 9 different shapes</li> <li>· The surface finish shall be unpatterned smooth with sufficient varnish / paint coating and the wood texture will not be visible after paint application;</li> <li>· Shapes shall be manufactured with suitable straightness and/or edges must be smooth finished;</li> </ul>	set	36		

	<ul style="list-style-type: none"> <li>· Geometric shape must be painted with non-toxic and lead free paint and color consistency shall be uniform in all geometric shapes;</li> <li>· Shapes come in bright and different colors</li> <li>· Each set of the geometric shapes should come in a box with BLR branding sticker;</li> </ul> <p>Packing:</p> <ul style="list-style-type: none"> <li>· Geometric shapes must be packed in appropriate boxes suitable for the weight and volume of the material.</li> <li>· The supplier's must specify the type of box/container that will be used to pack the geometric shapes; at a minimum, the box/container must protect geometric shapes from rain, moisture, dust, dirt, or other elements.</li> </ul> <p>Product Certification and Standards:</p> <p>All products must be able to pass the Philippine quality standard under the Bureau of Hazardous Devices and Toys, Department of Health (BHDT-DOH);</p> <ul style="list-style-type: none"> <li>· Imported products should pass international quality control product standards and have international quality control product markings such as CE, ISO, ASTM, ASQC, AFCIQ, ASQ, DGQ, EOQC, IQA, EC, and EN71.</li> <li>· Paint, lacquer, varnish and plastic materials used must be certified non-toxic by agency or institute locally or internationally recognized.</li> <li>· Instructional manual/Teacher's Guide and maintenance tips in English must be included.</li> <li>· Supplier(s) must be a holder of valid FDA License to Operate (LTO) as Household/Urban Hazardous (HUHS) Manufacturer, Trader, Distributor.</li> </ul>				
--	--	--	--	--	--

	<ul style="list-style-type: none"> <li>· Bidders shall provide documentary evidence of conformity of the goods with the technical specifications including drawings and submission of a complete set of sample item.</li> </ul> <p>Measurements:</p> <p>The approximate measurements of shapes in inches:</p> <ul style="list-style-type: none"> <li>· Package dimension: 8-28cm (width);</li> <li>17-30cm (length); 5-8cm (height);</li> </ul> <p>Note: All size measurements are with - 5% tolerance</p> <p>Specifications:</p> <ul style="list-style-type: none"> <li>· Geometric shapes should be manufactured from durable and high quality wood material and durable: kiln-dried Gmelina wood, Pine wood, Bass wood, and Juniper wood;</li> <li>· Set includes of 100 pcs. wooden blocks in 9 different shapes</li> <li>· The surface finish shall be unpatterned smooth with sufficient varnish / paint coating and the wood texture will not be visible after paint application;</li> <li>· Shapes shall be manufactured with suitable straightness and/or edges must be smooth finished;</li> <li>· Geometric shape must be painted with non-toxic and lead free paint and color consistency shall be uniform in all geometric shapes;</li> <li>· Shapes come in bright and different colors</li> <li>· Each set of the geometric shapes should come in a box with BLR branding sticker;</li> </ul> <p>Packing:</p> <ul style="list-style-type: none"> <li>· Geometric shapes must be packed in appropriate boxes suitable for the weight and volume of the material.</li> <li>· The supplier's must specify the type of box/container that will be used to pack the geometric shapes; at a minimum,</li> </ul>				
--	--	--	--	--	--

		<p>the box/container must protect geometric shapes from rain, moisture, dust, dirt, or other elements.</p> <p>Product Certification and Standards:  All products must be able to pass the Philippine quality standard under the Bureau of Hazardous Devices and Toys, Department of Health (BHDT-DOH);</p> <ul style="list-style-type: none"> <li>· Imported products should pass international quality control product standards and have international quality control product markings such as CE, ISO, ASTM, ASQC, AFCIQ, ASQ, DGQ, EOQC, IQA, EC, and EN71.</li> <li>· Paint, lacquer, varnish and plastic materials used must be certified non-toxic by agency or institute locally or internationally recognized.</li> <li>· Instructional manual/Teacher’s Guide and maintenance tips in English must be included.</li> <li>· Supplier(s) must be a holder of valid FDA License to Operate (LTO) as Household/Urban Hazardous (HUHS) Manufacturer, Trader, Distributor.</li> <li>· Bidders shall provide documentary evidence of conformity of the goods with the technical specifications including drawings and submission of a complete set of sample item</li> </ul>				
37.	<b>Geo Board</b>	<p>Geometrical board material: Hardwood  Dimension:7 to 10 square inch  Thick: 3/4 to 1 1/8 inch  At least 3mm thick  At least 64 pcs.of nails half driven in  Includes geometric cards and multicolored latex bands for pattern purposes</p>	set	36		
		<p>Geometrical board material: Hardwood  Dimension:7 to 10 square inch  Thick: 3/4 to 1 1/8 inch</p>	set	36		

		At least 3mm thick At least 64 pcs. of nails half driven in. Includes geometric cards and multicolored latex bands for pattern purposes				
38.	<b>Decimal Box</b>	The item shall have the following specifications. Main material : Hard plastic, non toxic 9 color decimal manipulatives tiles represent 9 values of decimal Value should represent thousands, hundredths, tenths, and ones At least 1 inch height	set	36		
39.	<b>Fraction Circles</b>	Geometrical board material: Hardwood Dimension:7 to 10 square inch Thick: 3/4 to 1 1/8 inch At least 3mm thick At least 64 pcs.of nails half driven in. Includes geometric cards and multicolored latex bands for pattern purposes	set	36		
40.	<b>Counting Bowl with Tongs</b>	Main material : Rubber, non toxic Measurement: 13cm diameter and 4cm depth with 6 colors Tweezers are 12cm long with 6 colors	set	36		
41.	<b>Linking Cubes Card</b>	Main material: Hard plastic, non-toxic Cubes size: 2cm minimum Cube quantity:100 pieces with 10 color (red, orange, yellow, green, blue, pink, white, purple, light green and black), Includes 11 pieces of two-sided activity cards With one marker for activity use	set	36		
42.	<b>Algebra Tiles</b>	Material: Hard plastic Colorful tiles Weight: 4.165 lbs Dimensions:15.9 × 12.6 × 2.5 in	set	36		

43.	<b>Base Ten Blocks for Math</b>	<p>Made of nontoxic hard plastic and generally come in four sizes, each representing a power of ten used as a place in the decimal system: units (ones place), longs (tens place), flats (plate) (hundreds place) and blocks (thousands place).</p> <p>Material: Hard plastic  Grid block at least 10cm by 10 cm  Grid plate at least 1 cm thick by 10 square centimeters  Rod size at least 1cm by 10 cm length  Cube size: 1 to 2 cm  Set contains the following:  1000 grid blocks = 1 pc  100 grid plate = 10 pcs.  10 cm rods = 10 pcs  1 cm cubes=100 pcs.</p> <p>Each type of block design with different colors (yellow, green, blue &amp; red)  Comes with hard plastic containers</p>	set	36		
44.	<b>Cuisenaire rods</b>	<p>Material: Hard plastic  With ten (10) color coded  Set contains minimum required sizes and respective color  White=1cm  Red=2 cm  Green=3cm  Purple=4cm  Yellow=5cm  Dark Green=6cm  Black=7cm  Brown=8cm  Blue=9cm</p>	set	36		

		Orange=10cm Minimum quantity per set:100 pieces				
45.	<b>Fraction Tiles &amp; Fraction Circles</b>	<p>The approximate measurements:</p> <ul style="list-style-type: none"> <li>· Package dimension:22-30cm (width); 30-35cm (length); 1.5-3cm (height)</li> </ul> <p>Note: All size measurements are with - 5% tolerance</p> <p>Specifications:</p> <ul style="list-style-type: none"> <li>· Fraction blocks should be manufactured from durable and high-quality wood material: kiln-dried Gmelina wood, Pine wood, Bass wood, and Juniper wood;</li> <li>· Consist of 39-51 brightly colored wooden pieces and 1 wood tray with text and braille</li> <li>· The surface finish shall be unpatterned smooth with sufficient varnish / paint coating and the wood texture will not be visible after paint application;</li> <li>· Blocks shall be manufactured with suitable straightness and/or edges must be smooth finished;</li> <li>· Fraction block must be painted with non-toxic, lead free and water-based paint and color consistency shall be uniform in all fraction blocks;</li> <li>· Blocks come in various colors</li> <li>· Each set of the Fraction blocks should come in a box with BLR branding sticker;</li> </ul> <p>Packing:</p> <ul style="list-style-type: none"> <li>· Fraction blocks must be packed in appropriate boxes suitable for the weight and volume of the puzzle.</li> <li>· The suppliers must specify the type of box/container that will be used to pack the fraction blocks sets; at a minimum, the box/container must protect the fraction blocks from rain, moisture, dust, dirt, or other elements.</li> </ul>	set	36		

		<p>Product Certification and Standards:</p> <ul style="list-style-type: none"> <li>· All products must be able to pass the Philippine quality standard under the</li> </ul> <p>Material: Hard plastic          Fraction circle diameter: 4 to 6 inches          Largest tiles/strips measure at least 1 inches by 8 inches          Thickness excluding magnet: 1/16 inch (minimum)          Complete set including 12 circles &amp; 12 bars (with Math symbol 1, 1/2, 1/3, 1/4, 1/5, 1/6, 1/7, 1/8, 1/9, 1/10, 1/11 and 1/12)          With strong magnets          Non peel demonstration size pieces          12 colors represent 12 values of fractions          Color coded fraction circle diameter          Includes plastic storage case</p>				
46.	<b>Squared Paper Worksheets (for Dyslexic)</b>	<p><b>A4 paper, 1-reams each sq. size</b>  <b>1-cm squared,</b>  <b>1.5 -cm squared,</b>  <b>2-cm squared,</b>  <b>1/2-inch squared,</b>  <b>1/4-inch squared</b></p> <p>Paper: A4 size , in dyslexia recommended colors          Square dimensions:          5-square mm ;          10-square mm ;          1/2-square inch;          1/4- square inch; and          1- square inch</p>	Set of 1 ream / square size or 5 reams/ set	36		
47.	<b>Life Cycle Puzzle Board</b>	<p>Material: Hardwood          Length: 29 to 31cm</p>	set			

<p><b>(Bird, Butterfly, Mosquito, Chicken, Frog, Fly)</b></p>	<p>Width: 19 to 21cm          Thickness: 3 mm (minimum)          The <b>life cycle of Mosquito</b> which shows at least 4 stages from egg stage until it metamorphosed into a beautiful mosquito          With relief or embossed arrow direction from egg until to adult stage          Stages of the life cycle should be presented in a raised-relief or shaded three dimensionally or tactile graphics version for easy identification for learners who are visually impaired          Life Cycle of a Mosquito</p>		36		
	<p><b>Life Cycle of a Fly</b>          Material illustrates the life cycle: Hardwood          Length: 29 to 31 cm          Width: 19 to 21 cm          Thickness: 3 mm (minimum)          The life cycle of Fly which shows 4 stages from egg stage to adult fly          With relief or embossed arrow direction from egg until to adult stage          Stages of the life cycle should be presented in a raised-relief or shaded three dimensionally or tactile graphics version for easy identification for learners who are visually impaired          A multicolor puzzle board</p>				
	<p><b>Life Cycle of a Frog</b>          Material illustrates the life cycle: Hardwood          Length: 29 to 31 cm          Width: 19 to 21 cm          Thickness: 3 mm (minimum)          The life cycle of frog which shows at least 6 stages from egg stage to adult frog</p>				

<p>With relief or embossed arrow direction from egg until to adult stage  Stages of the life cycle should be presented in a raised-relief or shaded three dimensionally or tactile graphics version for easy identification for learners who are visually impaired  A multicolor puzzle board</p>				
<p><b>Life Cycle of the Chicken</b>  Material illustrates the life cycle: Hardwood  Length: 29 to 31 cm  Width: 19 to 21 cm  Thickness: 3 mm (minimum)  The life cycle of chicken which shows at least 4 stages from egg stage until it metamorphosed into a beautiful chicken  With relief or embossed arrow direction from egg until to adult stage  Stages of the life cycle should be presented in a raised-relief or shaded three dimensionally or tactile graphics version for easy identification for learners who are visually impaired  A multicolor puzzle board</p>				
<p><b>Life cycle of Bird</b>  Material illustrates the life cycle: Hardwood  Length: 29 to 31 cm  Width: 19 to 21 cm  Thickness: 3 mm (minimum)  The life cycle of bird which shows at least 4 stages from egg stage to adult bird  With relief or embossed arrow direction from egg until to adult stage</p>				

		<p>Stages of the life cycle should be presented in a raised-relief or shaded three dimensionally or tactile graphics version for easy identification for learners who are visually impaired A multicolor puzzle board</p>				
		<p><b>Life Cycle of Butterfly</b> Material illustrates the life cycle: Hardwood Length: 29 to 31 cm Width: 19 to 21 cm Thickness: 3 mm (minimum) The life cycle of butterflies which shows at least 4 stages from egg stage until it metamorphosed into a beautiful butterfly With relief or embossed arrow direction from egg until to adult stage Stages of the life cycle should be presented in a raised-relief or shaded three dimensionally or tactile graphics version for easy identification for learners who are visually impaired A multicolor puzzle board</p>				
48.	<p><b>Parts of Different Animal Puzzle Board (Fish, Turtle, Bird, Frog, Horse)</b></p>	<p><b>Horse</b> Board material: Hardwood Length: 24 to 30 cm Width: 24 to 30 cm Thickness: 3 mm (minimum) Parts name: Head, nose, ears, eye, mouth, nostril, neck, mane, chest, shoulder, withers, back, hindquarter, tail, hock, hoof, &amp; knee. A multicolor puzzle board</p>	set		36	
		<p><b>Frog</b> Board material: Hardwood Length: 24 to 30 cm Width: 24 to 30 cm</p>				

<p>Thickness: 3 mm (minimum)  Parts name: Body, crest, eye, head, hind legs, mid dorsal line, mouth, neck, nostril, fore legs, snout, trunk, tympanum, unwebbed feet, vocal sac &amp; webbed feet,  A multicolor puzzle board</p>				
<p><b>Birds</b>  Board material: Hard wood  Length: 24 to 30 cm  Width: 24 to 30 cm  Thickness: 3 mm (minimum)  Parts name: Back, belly, breast, claws, chin, crown, eye, forehead, leg, lower beak, upper beak, rump, outer tail feather, upper tail coverts, throat and wings  A multicolor puzzle board</p>				
<p><b>Turtle</b>  Board material: Hardwood  Length: 24 to 30 cm  Width: 24 to 30 cm  Thickness: 3 mm (minimum)  Parts name: Head, eye, nostril, mouth, neck, tail, vertebral shell, costal shell, forelimb, hind limb, claw, marginal plates &amp; external ear opening  A multicolor puzzle board</p> <p><b>Fish</b>  Board material: Hardwood  Length: 24 to 30 cm  Width: 24 to 30 cm  Thickness: 3 mm (minimum)  Parts name: Head, eye, opercle, vent, caudle peduncle, soft dorsal fin, body, scales, nostril, mouth, pelvic fin, anal pin, tail, spinal drosal fin, pectoral fin &amp; lateral</p>				

		A multicolor puzzle board				
49.	<b>Parts of a Tree, Leaf, Flower Puzzle Board</b>	<b>Part of a Leaf</b> Board material: Hardwood Length: 24 to 30 cm Width: 24 to 30 cm Thickness: 3 mm (minimum) Parts name: Blade, margin, midrib, petiole, stipules, stem, tip & veins A multicolor puzzle board	set		36	
		<b>Part of a Flower</b> Board material: Hardwood Length: 24 to 30 cm Width: 24 to 30 cm Thickness: 3 mm (minimum) Parts name: Anther, filament, ovary, ovule, pollen tube, receptacle, sepal, stem, stigma & style A multicolor puzzle board				
		<b>Part of a Tree</b> Board material: Hardwood Length: 24 to 30 cm Width: 24 to 30 cm Thickness: 3 mm (minimum) Parts name: Branches, bark, fruit, leaves, roots, twig & trunk A multicolor puzzle board				
50.	<b>Fruits and Vegetable Puzzle Board</b>	<b>Fruits</b> Board material: Hardwood Length: 24 to 30 cm	set			

		<p>Width: 24 to 30 cm          Thickness: 3 mm (minimum)          Fruits name: Apple, avocado, banana, lemonade, mango, melon, orange, papaya, pineapple, grapes &amp; strawberry          A multicolor puzzle board</p> <p><b>Vegetable</b>          Board material: Hardwood          Length: 24 to 30 cm          Width: 24 to 30 cm          Thickness: 3 mm (minimum)          Vegetable name: Brinjal, cabbage, carrot, cauliflower, capsicum, ladyfinger, pea, onion, potato &amp; tomato          A multicolor puzzle board</p>						36
51.	<b>Weather Puzzle Series</b>	<p>Board material: Hardwood          Length: 24 to 30 cm          Width: 24 to 30 cm          Thickness: 3 mm (minimum)          It comes with different puzzle picture (such as sunny, rainy, cloudy, etc.)          Come with wooden stands          A multicolor puzzle board</p>	set					36
52.	<b>Community Helpers Puzzle Series</b>	<p>Board material: Hardwood          Length: 24 to 30 cm          Width: 20 to 30 cm          Thickness: 3 mm (minimum)          Comes with 8 - 12 puzzles with different puzzle picture (such as teacher, policeman, fireman, doctor, engineer, etc.)          A multicolor puzzle board</p>	set					36
53.	<b>Emotion Puzzle Board</b>	<p>Board material: Hardwood          Length: 24 to 30 cm</p>	set					

		<p>Width: 20 to 30 cm          Thickness: 3 mm (minimum)          Emotion: Angry, happy, proud, sad, scared, shy, silly, crying, &amp; surprised          Comes with 9 - 12 puzzles with different puzzle pictures          A multicolor puzzle board</p>		24		
54.	<b>Tactile Globe</b>	<p>Measurements:          The approximate measurements:          · 29-32cm (width) x 37-39cm (height) x 29-31cm (diameter)          Note: All size measurements are with - 5% tolerance          Specifications: Among the overlays features are continent outlines, higher and lower elevations, raised latitude and longitude lines, and a dashed line for the International Date Line. Mounted on a metal stand with a wood base.          · Each tactile globe should come in a box with BLR branding sticker;          Packing:          · Tactile globe must be packed in appropriate boxes suitable for the weight and volume of the puzzle.          · The suppliers must specify the type of box/container that will be used to pack the Tactile globe; at a minimum, the box/container must protect the Tactile globe from rain, moisture, dust, dirt, or other elements.          Product Certification and Standards:          · Imported products should pass international quality control product standards and have international quality control product markings such as CE, ISO, ASTM, ASQC, AFCIQ, ASQ, DGQ, EOQC, IQA, EC, and EN71.          · Instructional manual/Teacher's Guide and maintenance tips in English must be included.</p>	set	24		

		<ul style="list-style-type: none"> <li>· Supplier(s) must be a holder of valid FDA License to Operate (LTO) as Household/Urban Hazardous (HUHS) Manufacturer, Trader, Distributor.</li> <li>· Bidders shall provide documentary evidence of conformity of the goods with the technical specifications including drawings and submission of a complete set of sample item.</li> </ul> <p>Base material: Hardwood  Globe material: Clear hard plastic painted with nontoxic.  Height: 35 cm (minimum)  Width of the base: 29 cm (minimum)  Globe diameter: 30 cm (minimum)  Comes with stand base, tactile, and braille information  A multicolor tactile globe</p>				
55.	<b>Tactile Maps- Philippine Map, Asia, Continents of the World</b>	<p>Measurements:  The approximate measurements:  · 87cm x 65cm x 3cm  Note: All size measurements are with - 5% tolerance</p> <p>Specifications:  · Embossed World map</p> <p>Product Certification and Standards:  · Imported products should pass international quality control product standards and have international quality control product markings such as CE, ISO, ASTM, ASQC, AFCIQ, ASQ, DGQ, EOQC, IQA, EC, and EN71.</p> <ul style="list-style-type: none"> <li>· Bidders shall provide documentary evidence of conformity of the goods with the technical specifications including drawings and submission of a complete set of sample item.</li> </ul>	set			24

56.	<b>Braille Tactile Kit</b>	<p>Material: Hard Plastic  At least 9 to 10 manipulative braille blocks with pins or writing sensor  Includes English alphabet, numbers, basic games, essential literacy words and activities  Can download and install new content and language packages  With left and right arrows and circle buttons  With volume controller for dynamic sounds of the unit  Rechargeable battery  LED battery indicator  With power button (ON/Off)  Wifi connectivity  Includes USB adapter and cable 1 set  With started guide  With carrying pouch</p>	set	36		
57.	<b>FSL Posters/ Pamphlet/Cards</b>	<p>Filipino Sign Language Signs-  -Posters of 120-common FSL signs  - 28-KWF Alphabet signs  - 21-Counting signs  - 12-Colors signs  - 59-Other common FSL signs  - Posters of 120-common FSL signs - 28-KWF Alphabet signs - 21-Counting signs - 12-Colors signs - 59-Other common FSL signs  The item shall have the following specifications.  Filipino Sign Language  Equivalent to FSL level 3 course  Paper thickness at least 8 mils</p> <p>The item shall have the following specifications.</p>	set			

		Material: 260gsm Photo Paper Flashcards size at least 4 inches height Laminated in 250 microns film A multicolored flashcard Tear resistance		144		
58.	<b>Writing Slate and Stylus Comes with 1 durable classic stylus</b>	Braille Slate and Stylus-27 lines, 30 cells (K-12) Comes with 1 durable classic stylus Braille Slate and Stylus-27 lines, 30 cells (K-12) Main material: ABS plastic  Total thick :1/4-inch minimum. At least 8 1/2-inch length by 1 3/4-inch width Color: Green With one piece stylus, writing tip with plastic handle	set	144		
59.	<b>Writing Guides for Learners with Low Vision</b>	Writing guides are low vision aids designed to improve the penmanship of those who are blind or visually impaired through handwriting templates. It is a full page 8 1/2" x 11" aluminum overlay sheet with 13 openings that match standard line spacing  -Full size:8 1/2" x 11" -Material: Light weight 1.6 oz., Black (for the frame)- white (for the margin stop with clip)-, non-breakable, non-toxic plastic overlay sheet -Easily adjust to the desired writing width by simply sliding the right margin guide from side to side. -Built-in notches along the upper track firmly hold the margin guide at half-inch intervals up to a width of 8-1/2	unit	48		

60.	<b>Talking Scientific Calculator</b>	<p>Calculator Type: Business basic calculations for Vision impairment  Display Type: LCD (10-12 digits)  Large, easy to use keypad  Talking Calculator with a clear voice with volume key to increase or decrease volume.  the voice can be set to speak digits or actual number value.  Dimensions: 7 -11 inches x 7-9 inches x 7/8 -2 inches  Battery operated (batteries included)  Date and time with alarm clock function  Comes with Headphone jack (3.5 mm mono/stereo)</p>	set	72		
61.	<b>Cranmer Abacus</b>	<p>13-rod abacus  Frame measures 6 1/8 x 3 1/4 inches  The bead diameter is 3/8 inch.  Red felt backing will prevent beads from slipping  Weight: 0.2857 kg or 0.23 lbs;  Dimensions: 15.494 x 8.255 x 1.524 cm or 6.1 × 3.25 × 0.6 in</p>	unit	48		
62.	<b>Picture Exchange Communication System (PECS)</b>	<p>1. Comprehensive Set: Over 50 high-quality, ready to print.  Size: A4 (210 × 297 mm or 8.27 × 11.69 in)  User Guide: Step-by-step instructions for quick and effective use.  2. Inclusive Package: the package you get is a complete kit for all your communication requirements, with 1 binder, 5 dividers, 1 sentence strip, 162 picture cards, 40 hook and loop strips, and 200 hook and loop dots, you will never run out of necessities for your visual communication process, it's a one stop solution for your various visual communication needs</p>	set	12		

		<p>3. Proper Size: the binder measures about 8.27 x 5.83 inches/ 21 x 14.8 cm while the dividers measure about 7.87 x 5.12 inches/ 20 x 13 cm, the sentence strip measures about 1.57 x 7.87 inches/ 4 x 20 cm, suitable size for you to store and carry</p> <p>4. Easy Usage for Convenience: there is a tab on each divider for convenient labelling, you can attach the picture cards to the dividers with the provided hook and loop dots, and then make a sentence according to your actual need</p> <p>5. Booklet:</p> <p>1 piece 3-holed 22.5 cm x 8.86 cm x folder with pocket inside</p> <p>5-colors 3-holed 20cm x 13 cm separator with tab</p> <p>Strips of 16 cm x 1 cm velcro</p> <p>200 pcs 1cm diameter velcro</p> <p>Laber Stickers (2.54 cm x 3.81 cm)</p> <p>6. Includes pictures needed in the 6-phases of teaching using the following:</p> <p><b>Phase I</b> teaches the child to initiate requests using a picture card exchange.</p> <p><b>Phase II</b> instructs the child how to request desired items by traveling to a communication book and to the communication partner.</p> <p><b>Phase III</b> is intended to instruct picture discrimination between two or more pictures from a communication book.</p> <p><b>Phase IV</b> teaches the child to develop a sentence by combining pictures (e.g., “I want”+“desired item”).</p> <p><b>Phase V</b> teaches the child how to respond to questions (e.g., “What do you want?”).</p> <p><b>Phase VI</b> introduces the child to additional sentence starters using pictures (e.g., “I see,” “I hear,” and “I smell”).</p>				
--	--	---	--	--	--	--

63.	<b>Braille Scrabble</b>	<p>Material: Plastic tiles, durable board  The set contains: 1 game board, 100 Braille-engraved letter tiles Includes 4 letter racks, a thick score pad, and printed rules.  Features: Braille on each tile for visually impaired users, adjustable tile racks</p> <p>Measurements:  The approximate measurements:  • Board: 34-35cm x 37-38cm  Note: All size measurements are with - 5% tolerance  Specifications:  • Letter tiles have both braille and raised tactile letters for playing by touch for the blind and visually impaired  • Includes 100 letter tiles, four wooden tile racks, and a rotating game board  • Printed instructions  • Each piece of the Braille scrabble should come in a box with a BLR branding sticker;  Packing:  • Braille scrabble must be packed in appropriate boxes suitable for the weight and volume of the puzzle.  • The suppliers must specify the type of box/container used to pack the Braille scrabble sets; at a minimum, the box/container must protect the Braille scrabble from rain, moisture, dust, dirt, or other elements.  Product Certification and Standards:  • All products must be able to pass the Philippine quality standard under the Bureau of Hazardous Devices and Toys, Department of Health (BHDT-DOH);</p>	set	24		

		<ul style="list-style-type: none"> <li>• Imported products should pass international quality control product standards and have international quality control product markings such as CE, ISO, ASTM, ASQC, AFCIQ, ASQ, DGQ, EOQC, IQA, EC, and EN71.</li> <li>• Paint, lacquer, varnish, and plastic materials must be certified non-toxic by agency or institute locally or internationally recognized.</li> <li>• Instructional manual/Teacher's Guide and maintenance tips in English must be included.</li> <li>• Supplier(s) must be a holder of valid FDA License to Operate (LTO) as Household/Urban Hazardous (HUHS) Manufacturer, Trader, Distributor.</li> <li>• Bidders shall provide documentary evidence of conformity of the goods with the technical specifications, including drawings and submission of a complete set of sample items.</li> </ul>				
64.	<b>Braille Set</b>	<b>Chess</b>	<p>Color: White and Black.  Durable plastic playing board with 32 pieces.  Each white playing piece has a tactile dot on top.  Playing pieces are shaped differently to aid in tactile identification.  A peg on the bottom of each piece fits snugly into the board, so they can be felt during game-play.  White squares on the board are raised to help track diagonals.  Braille grid coordinates along bottom and left, for both players.  Measures about 8-1/2 in by 8-1/2 in by 1 in.  Package Weight: about 7 ounces.</p> <p><b>Chess Board</b></p>	set	24	

		<p>Chess set with raised and lowered squares in chess playing surface and pieces designed to differentiate the opposing sides easily. Each piece has a peg design that inserts into the board square allowing for tactile use of the entire board while considering a chess move. Also, the top of each dark piece has a peg to differentiate.</p> <p>Measurements: The approximate measurements:</p> <ul style="list-style-type: none"> <li>• Wooden board: 30-35cm x 30-35cm;</li> <li>• Wooden box with lid: 23-29cm (length) X 13-18cm (width) X 4-8cm (height).</li> </ul> <p>Note: All size measurements are with - 5% tolerance</p> <p>Specifications:</p> <ul style="list-style-type: none"> <li>• One set of wooden pieces (32 pieces)</li> <li>• Darker pieces are slightly raised above to easily identified from the opponent</li> <li>• Should be manufactured from kiln-dried Gmelina wood, Pinewood, Basswood, and Juniper wood;</li> <li>• The surface finish shall be unpatterned smooth with sufficient varnish/paint coating, and the wood texture will not be visible after paint application;</li> <li>• The set shall be manufactured with suitable straightness, and edges must be smoothly finished;</li> <li>• Chess Board must be painted with non-toxic paint, and color consistency shall be uniform in all Chess Board;</li> <li>• Color may vary</li> </ul> <p>Packing:</p>				
--	--	---	--	--	--	--

		<ul style="list-style-type: none"> <li>• Chess boards must be packed in appropriate boxes suitable for the weight and volume of the puzzle.</li> <li>• The suppliers must specify the type of box/container used to pack the Chess Board sets; at a minimum, the box/container must protect the Chess Board from rain, moisture, dust, dirt, or other elements.</li> </ul> <p>Product Certification and Standards:</p> <ul style="list-style-type: none"> <li>• All products must be able to pass the Philippine quality standard under the Bureau of Hazardous Devices and Toys, Department of Health (BHDT-DOH);</li> <li>• Imported products should pass international quality control product standards and have international quality control product markings such as CE, ISO, ASTM, ASQC, AFCIQ, ASQ, DGQ, EOQC, IQA, EC, and EN71.</li> <li>• Paint, lacquer, varnish, and plastic materials must be certified non-toxic by agency or institute locally or internationally recognized.</li> <li>• Instructional manual/Teacher's Guide and maintenance tips in English must be included.</li> <li>• Supplier(s) must be a holder of valid FDA License to Operate (LTO) as Household/Urban Hazardous (HUHS) Manufacturer, Trader, Distributor.</li> <li>• Bidders shall provide documentary evidence of conformity of the goods with the technical specifications, including drawings and submission of a complete set of sample items.</li> </ul>				
65.	<b>Chess clock</b>	Material: Durable plastic or lightweight metal casing Display: Tactile or large, high-contrast digital display with Braille markings	set		24	

66.	<b>Stopwatch</b>	Materials: (Body) Plastic or stainless steel; have a digital design employing quartz oscillators and electronic circuitry to measure time intervals; Providing delimiting character for hours, minutes, seconds (usually colon); minimum increment of 0.2s	set	24		
67.	<b>Meter Tape Measure Measuring tape 100-meters length</b>	100-meters length	unit	12		
68.	<b>Whistle</b>	Materials: (Body) Plastic or stainless steel; (Soft ball) synthetic cork/plastic/metal; with ring/ strap	set	24		

I hereby certify to comply with and deliver all the above requirements.

\_\_\_\_\_  
Name of Company/Bidder

\_\_\_\_\_  
Signature Over Printed Name of Representative

\_\_\_\_\_  
Date

**SUPPLY AND DELIVERY OF MUSICAL INSTRUMENTS FOR LEARNERS WITH DISABILITIES FOR DEPED-CAR  
LOT 5**

No.	Item Name	Design Specification:	Unit	Qty	Statement of Compliance (State whether you comply or not comply)	state the brand and model of the specifying product offered with an attachment of official brochure or unamended sales literature
1.	<b>Keyboard Instrument</b> - 5-octaves	Type : 61 Key Touch Sensitive Portable Electronic Keyboard 220-250 Vac (with adapter included) With LCD Display Standard key size (octave span at least 160 mm, disregarding space between keys) No. of Polyphony : 32 - 128 With over 300 factory sound preset With built-in speakers and with TS/TRS line output With keyboard stand and sustain pedal Language : English Brand name permanently marked on the item	set	24		
2.	<b>Cymbals</b>	- 2 sets; Materials- Brass or B8 Bronze (8%tin); 14" hi-hats 20" ride 16" crash 18" crash 10" splash	set	48		
3.	<b>Tambourine</b>	- 2 sets; Materials- Wood or plastic; 8" or 10" inches diameter; 2 rows of 5-7 dimpled brass or stainless steel jingles.	set	48		
4.	<b>Drums kit 1 set</b>	A drum kit is a collection of drums, cymbals, and sometimes other auxiliary percussion instruments set up to be played by one person. The drummer typically holds a pair of matching	set	24		

		<p>drumsticks and uses their feet to operate hi-hat and bass drum pedals.  Standard Size  Dimension:  1 pc- Bass Drum: 22x 14 inches to 16 inches with 8 to 12 lugs  1pc- Floor Tom: 16 x 15 inches to 16 inches with 6 to 12 lugs  1pc- Snare: 14 x 5 inches to 5.5 inches with 6 to 8 lugs  1pc- Mounted Tom 1: 10 x 8 inches or 12 x 10 inches with 6 to 10 lugs  1pc - Mounted Tom 2: 12 x 9 inches or 13 x 11 inches with 6 to 10 lugs  Set of cymbals: Hi-Hat 14 inches x 2pcs., Crash/Ride 16 inches x 1pc.  With snare stand, Hi-Hat stand, cymbal boom stand, chain driven kick pedal, tom holders on bass drum, drum throne, 1 pair of drum sticks, drum key  Brand name permanently marked on the item.</p>				
5.	<b>Percussion Kit</b>	(a tunable drum practice pad or shallow drum, snare sticks and bell mallets, a 2-octave aluminum bell set and a stand – all of which is stored in a luggage-style rolling bag.)	set	24		
6.	<b>Guitar</b>	Type: Acoustic Guitar (Right-handed) String Type : Steel Number of Strings: 6 Number of Frets: 20 to 21 Tuning Machines: chrome plated with pickup, volume, tone EQ or Bass, Mid, Treble control, and tuner with battery (9 volts) with Gig Bag, Guitar strap, 1 cable cord, Pick	set	48		

	Overall Length: 39 to 41 inches Brand name permanently marked on the item. - 2 sets				
--	---	--	--	--	--

I hereby certify to comply with and deliver all the above requirements.

\_\_\_\_\_  
Name of Company/Bidder

\_\_\_\_\_  
Signature Over Printed Name of Representative

\_\_\_\_\_  
Date

**SUPPLY AND DELIVERY OF GARDEN & CONSTRUCTION TOOLS & MATERIALS FOR LEARNERS WITH DISABILITIES FOR  
DEPED-CAR  
LOT 6**

No.	Item Name	Design Specification:	Unit	Qty	Statement of Compliance (State whether you comply or not comply)	state the brand and model of the specifying product offered with an attachment of official brochure or unamended sales literature
1.	<b>Watering Can</b>	Capacity: 2 gallon Material: Plastic Equipped with long spout and sprinkler head With handle Any color	unit	48		
2.	<b>Sprinklers</b>	Material: Plastic or metal Coverage: 3 to 20 meters Height: 6 to 12 inches Weight: 300 to 1,500 grams Design: Adjustable spray pattern, with a stabilizing base or rotating mechanism	unit	48		
3.	<b>Step Ladder</b> foldable 8ft ladder	Dual-purpose ladder Material: Aluminum; Heavy Duty, Dual-purpose ladder that can be used in either the standard A or Straight position. With non slip ladder feet Sizes: 4 - 8 FEET	piece	24		
4.	<b>Garden Gloves</b>	Type: Latex coated glove Palm width: 9 to 10 cm Glove length: 24 cm minimum Any color	set	48		

5.	<b>Pruning Shears/Hand Pruners/</b>	Secateurs Material: High speed steel Blade length: 8 inches minimum Total length: at least 20 inches With nut/knob for adjusting blade tension Encapsulated with rubberized hand	set	24		
6.	<b>Garden Hoe</b>	Hoe Material: Carbon Steel, 1/32 to 1/16 inch Hoe Capacity: at least 1.75 lbs Head width at least 3 inches Length including the handle at least 2 feet For general cultivating purpose	pc	24		
7.	<b>Rake</b>	Tine material: Forged Carbon steel Tine number: 10 to 12 tines Handle length: 3.5 to 4.5ft Tine height: 2 3/4 inches (minimum) Comes with hard wood handle Design with welded blade socket	pc	24		
8.	<b>Shovels and spades</b>	Type: Round Nose Shovel Material: High Carbon Steel Handle Material: Hardwood Blade Thickness: 1.0 to 2 mm Handle Type: D Ring Shovel head width at least 9 1/4 inch Handle Length: 29 inches (minimum)	set	24		
9.	<b>Garden hand trowel-shovel</b>	Material: Carbon Steel Thickness: 1mm(minimum) Blade width: 8 cm (minimum) Blade length: 13 cm (minimum) Length including the handle: 25 to 30 cm With plastic coated steel handle for comfortable grip	unit	48		

10.	<b>Hor-Hori (Japanese Garden Knife)</b>	Blade: Stainless steel; 0.8 mm to 1.2mm Thick Blade length: 7 inches minimum With embossed marking in inches and millimeter as depth gauge measurement With both serrated and straight edge blades Any wooden color handle With sheath Brand name permanently marked on the item	unit	48		
11.	<b>Picking knife</b>	Material: stainless steel with exceptional corrosion resistance and oxidation resistance Crafted from the premium 3Cr13Mov German steel; HRC: 52±2. High-Carbon stainless steel Ultra-Sharp blade Ergonomic colored wood handle, anti-slip, and labor saving Impeccable full tang design, safe and durable Luxurious wood knife block, elegant and space efficient. High Hardness & Ultra-sharp edge expert heat treatment; One-year replacement	unit	48		
12.	<b>Sandpaper</b>	Material: Black carbon silicon abrasive Minimum size: 9 inches by 11 inches Granularity: 1 pc-# 60,1pc.- #120,1pc-#600 Waterproof	pc	48		
13.	<b>Steel Measuring Tape</b>	Capacity: 5 meters Case material: Hard plastic Tape material: Steel Design: Pocket type Scale: Metric (smallest graduation is 1 mm) English (smallest graduation is 1/16 inch) Comes with locking mechanism, easy to work thumb push button and self-retracting Application for associating quantity and symbol	unit	48		

14.	<b>Chisel pcs/set)</b>	(3	Blade material: Hardened tempered chrome steel Blade size: Length 5 to 6 inches by Width 1/2 to 1 inches Ergonomically designed, bi-material handle Precision Milled Bevelled Edges	set	24		
15.	<b>Screwdriver (12 pcs/set)</b>		Loop wire are made of insulated steel wire with a minimum of 3mm diameter Length dimension: 23 to 25 cm Width dimension: 22 to 24 cm Height dimension: 21 to 23 cm With at least two-colored spiral loop wire and beads A multicolored educational toy	set	24		
16.	<b>L Squares</b>		Blade: Stainless steel; 0.8mm to 1.2mm Thick Cast Aluminum handle Blade Length: 12 inch (minimum) Dual scale - Metric on one side ( graduation 1.0mm) and English on the other (graduation is 1/16 inch) Smooth surface, no sharp edges Shall have Manufacturer's/Trademark/Brand name permanently marked on the item	pc	48		
17.	<b>Rasps pcs/set)</b>	(3	Material: Steel Length: 150 mm to 250 mm Width: 20 mm to 30 mm	teeth set	48		
18.	<b>Clamps pcs/set)</b>	(2	Material: Heavy-duty plastic or metal Jaw Width: 50 mm to 150 mm Length: 150 mm to 200 mm	set	48		
19.	<b>Planes</b>		Material: Steel blade with wooden or plastic body Length: 150 mm to 250 mm Width: 50 mm to 75 mm	unit	48		
20.	<b>Hammer</b>		Type: Claw Head material: Drop forged carbon steel Handle material: Fiberglass	unit	48		

		Head size: 8oz Handle size: 12 inches long (minimum)				
21.	<b>Hand Saw</b>	Blade material:High speed steel Length of the blade at least 16 inches TPI: 8 to 9 teeth Ergonomical design handle with combination of plastic and rubberized material With sheath	unit	48		
22.	<b>Hand drills</b>	Cordless type hand drill Chuck capacity, min./max.: 1.5 / 13mm Battery voltage: 18V RPM up to 1800 Designed with low and high-speed gear Battery type: Lithium-ion 18V 2Ah With battery charger With plastic storage case	set	24		
23.	<b>Nail Set</b>	Type: Nail set 3 pcs. Material: Hardened precision-milled steel Sizes: 1/32inch, 2/32inch, 3/32inch dia. x 5 inches long Comes with grip in slip-resistant	set	48		
24.	<b>Nail Puller</b>	Material: Carbon steel Total length:7 inches (minimum) With soft plastic-coated handle	set	48		
25.	<b>Files</b>	Material: Steel or durable metal with a non-slip plastic handle Size: 120 mm to 200 mm	set	48		
26.	<b>Scriber</b>	Material: Metal tip with plastic or rubber handle Length: 150 mm to 200 mm Design: Non-slip handle	unit	24		

I hereby certify to comply with and deliver all the above requirements.

\_\_\_\_\_  
Name of Company/Bidder

\_\_\_\_\_  
Signature Over Printed Name of Representative

\_\_\_\_\_  
Date

## ***Section VIII. Checklist of Technical and Financial Documents***

### **Notes on the Checklist of Technical and Financial Documents**

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary “pass/fail” criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

# Checklist of Technical and Financial Documents

## I. TECHNICAL COMPONENT ENVELOPE

### *Class "A" Documents*

#### Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) **in accordance with Section 8.5.2 of the IRR**

#### Technical Documents

- (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; **and**
- (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission **or** Original copy of Notarized Bid Securing Declaration; **and**
- (e) Conformity with the Technical Specifications **with an attachment of official brochure or unamended sales literature of the offered items**, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- (f) Original duly signed Omnibus Sworn Statement (OSS) **and** if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

#### Financial Documents

- (g) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) **or** A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

### *Class "B" Documents*

- (h) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence **or** duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

## II. FINANCIAL COMPONENT ENVELOPE

- (i) Original of duly signed and accomplished Financial Bid Form; **and**
- (j) Original of duly signed and accomplished Price Schedule(s).

#### Other documentary requirements under RA No. 9184 (as applicable)

- (k) *[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos]* Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (l) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

**School Recipient Schools**

<b>No.</b>	<b>School</b>	<b>Division</b>	<b>Address</b>
<b>1</b>	<b>BACSAI ELEMENTARY SCHOOL</b>	<b>Apayao</b>	<b>Bacsay, Luna, Apayao</b>
<b>2</b>	<b>MALAMA INTEGRATED SCHOOL</b>	<b>Apayao</b>	<b>Malama, Conner, Apayao</b>
<b>3</b>	<b>LA PAZ INTEGRATED SCHOOL</b>	<b>Abra</b>	<b>Poblacion, La Paz, Abra</b>
<b>4</b>	<b>BANGUED WEST CENTRAL SCHOOL</b>	<b>Abra</b>	<b>Zone 3, Bangued, Abra</b>
<b>5</b>	<b>BAGUIO SPED CENTER</b>	<b>Baguio City</b>	<b>84 Military Cut Off Rd., Baguio City</b>
<b>6</b>	<b>BENGUET SPED CENTER</b>	<b>Benguet</b>	<b>Wangal, La Trinidad, Benguet</b>
<b>7</b>	<b>VIRAC INTEGRATED SCHOOL</b>	<b>Benguet</b>	<b>Virac, Itogon 2, Benguet</b>
<b>8</b>	<b>LAMUT CENTRAL SCHOOL</b>	<b>Ifugao</b>	<b>Lamut, Ifugao</b>
<b>9</b>	<b>RIZAL CENTRAL SCHOOL</b>	<b>Kalinga</b>	<b>Balabag East, Rizal, Kalinga</b>
<b>10</b>	<b>MT. PROVINCE SPED CENTER</b>	<b>Mt. Province</b>	<b>Poblacion, Bontoc, Mt. Province</b>
<b>11</b>	<b>BAUKO CENTRAL SCHOOL</b>	<b>Mt. Province</b>	<b>Poblacion, Bauko, Mt. Province</b>
<b>12</b>	<b>BULANAO CENTRAL SCHOOL</b>	<b>Tabuk City</b>	<b>Bulanao Norte, Tabuk City</b>

**SUPPLY AND DELIVERY OF LIVELIHOOD SKILLS: PERSONAL HYGIENE AND BEAUTY CARE FOR LEARNERS WITH DISABILITIES FOR DEPED-CAR**

**LOT 1**

No.	Item Name	Unit	Qty	Recipient Schools												Total
				Abra		Apayao		Baguio	Benguet		Ifugao	Kalinga	Mt. Prov.		Tabuk	
				La Paz IS	Bangued West CS	Bacsay ES	Malama IS	Baguio SPED Center	Ben guet SPED Center	Vira c IS	Lamut CS	Rizal CS	Mt. Prov. SPED Center	Bauko CS	Bulanao CS	
1.	<b>Personal Hygiene Kit</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
2.	<b>Mirror-Acrylic, 5ft x2ft for wall mounting</b>	set	1	1	1	1	1	1	1	1	1	1	1	1	1	12
3.	<b>Hair Dryer</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
4.	<b>STRAIGHT-BLADED SCISSOR</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
5.	<b>Set of Professional Shears (3 to 4 pieces/set)</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
6.	<b>Set of razors, razor blades, and a protective case</b>	set	1	1	1	1	1	1	1	1	1	1	1	1	1	12
7.	<b>Combs</b>	set	1	1	1	1	1	1	1	1	1	1	1	1	1	12

8.	<b>Brushes</b>	set	1	1	1	1	1	1	1	1	1	1	1	1	1	12
9.	<b>ELECTRIC CLIPPER</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
10.	<b>Electric Appliances including</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
11.	<b>DUSTER BRUSH</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
12.	<b>Aprons and disposable Nitrile gloves</b>	set	4	4	4	4	4	4	4	4	4	4	4	4	4	48
13.	<b>Mannequin Heads</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
14.	<b>Spray Bottle and Clips</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
15.	<b>Makeup Tools</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
16.	<b>Anti-Static Duster</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
17.	<b>Trash Can</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
18.	<b>Bucket</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
19.	<b>Scrub brushes</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
20.	<b>Toilet brush</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
21.	<b>Multi-purpose duster</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
22.	<b>Sponges 3 pcs/pack</b>	pack	1	1	1	1	1	1	1	1	1	1	1	1	1	12
23.	<b>Spray bottle</b>	pc	2	2	2	2	2	2	2	2	2	2	2	2	2	24

24.	<b>Microfiber cleaning cloths - 12 pcs per pack</b>	pc	2	2	2	2	2	2	2	2	2	2	2	2	2	24
25.	<b>Broom and dustpan</b>	pac k	1	1	1	1	1	1	1	1	1	1	1	1	1	12
26.	<b>Mop</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
27.	<b>Vacuum</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24

**SUPPLY AND DELIVERY OF LIVELIHOOD SKILLS: COOKERY AND BREAD AND PASTRY FOR LEARNERS WITH DISABILITIES FOR  
DEPED-CAR  
LOT 2**

No.	Item Name	Unit	Qty	Recipient Schools												Total
				Abra		Apayao		Baguio	Benguet		Ifugao	Kalinga	Mt. Prov.		Tabuk	
				La Paz IS	Bangued West CS	Bacsay ES	Malama IS	Baguio SPED Center	Ben guet SPED Center	Vira c IS	Lamut CS	Rizal CS	Mt. Prov. SPED Center	Bauko CS	Bulanao CS	
1.	<b>Kitchen utensils and cutlery</b>	Set	1	1	1	1	1	1	1	1	1	1	1	1	1	12
2.	<b>8-Inch Chef's Knife</b>	Set	1	1	1	1	1	1	1	1	1	1	1	1	1	12
3.	<b>Boning knife</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
4.	<b>Cleaver knife</b>	Pcs	2	2	2	2	2	2	2	2	2	2	2	2	2	24
5.	<b>Paring Knife</b>	Pcs	2	2	2	2	2	2	2	2	2	2	2	2	2	24
6.	<b>Oysters knife</b>	Set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
7.	<b>Dough Cutter</b>	Set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
8.	<b>Serrated Knife</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
9.	<b>Multi-purpose Kitchen Scissors/Shears</b>	unit	2	2	2	2	2	2	2	2	2	2	2	2	2	24
10.	<b>Stainless Steel Utility</b>	Unit	2	2	2	2	2	2	2	2	2	2	2	2	2	24

	<b>Kitchen Shears, 8.5-Inch</b>															
11.	<b>Offset Angular Palette knife</b>	unit	2	2	2	2	2	2	2	2	2	2	2	2	2	24
12.	<b>Cutting Board</b>	unit	2	2	2	2	2	2	2	2	2	2	2	2	2	24
13.	<b>Brush</b>	Unit	2	2	2	2	2	2	2	2	2	2	2	2	2	24
14.	<b>Funnels</b>	Unit	2	2	2	2	2	2	2	2	2	2	2	2	2	24
15.	<b>Can opener</b>	unit	2	2	2	2	2	2	2	2	2	2	2	2	2	24
16.	<b>Carving fork</b>	Pair	2	2	2	2	2	2	2	2	2	2	2	2	2	24
17.	<b>Core seed remover</b>	unit	2	2	2	2	2	2	2	2	2	2	2	2	2	24
18.	<b>Graters</b>	Unit	2	2	2	2	2	2	2	2	2	2	2	2	2	24
19.	<b>Peeler</b>	Unit	2	2	2	2	2	2	2	2	2	2	2	2	2	24
20.	<b>Pepper and salt grinder</b>	Unit	2	2	2	2	2	2	2	2	2	2	2	2	2	24
21.	<b>Potato masher</b>	Unit	2	2	2	2	2	2	2	2	2	2	2	2	2	24
22.	<b>Tenderizer (Mallet Tenderizer)</b>	Unit	2	2	2	2	2	2	2	2	2	2	2	2	2	24
23.	<b>Zester</b>	unit	2	2	2	2	2	2	2	2	2	2	2	2	2	24
24.	<b>Tongs (one 6-inches and one 12 inches-long)</b>	Set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
25.	<b>Measuring urn</b>	Set	2	2	2	2	2	2	2	2	2	2	2	2	2	24

26.	<b>Colander, medium</b>	unit	2	2	2	2	2	2	2	2	2	2	2	2	2	24
27.	<b>Ice cream scoop,</b>	Unit	2	2	2	2	2	2	2	2	2	2	2	2	2	24
28.	<b>Dry and Liquid Measuring Cups</b>	Set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
29.	<b>Filling Funnel</b>	unit	2	2	2	2	2	2	2	2	2	2	2	2	2	24
30.	<b>Parisienne scoop</b>	unit	1	1	1	1	1	1	1	1	1	1	1	1	1	12
31.	<b>Double Boiler, medium</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
32.	<b>Paellera</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
33.	<b>8-Quart Large, Heavy Pot</b>	pc	1	1	1	1	1	1	1	1	1	1	1	1	1	12
34.	<b>Saucepan</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
35.	<b>Pastry Blender</b>	unit	1	1	1	1	1	1	1	1	1	1	1	1	1	12
36.	<b>Blender</b>	unit	1	1	1	1	1	1	1	1	1	1	1	1	1	12
37.	<b>Meat Slicer</b>	unit	1	1	1	1	1	1	1	1	1	1	1	1	1	12
38.	<b>Bread toaster</b>	Unit	1	1	1	1	1	1	1	1	1	1	1	1	1	12
39.	<b>Electric Hand beater/mixer - with 5-</b>	Set	1	1	1	1	1	1	1	1	1	1	1	1	1	12

	<b>speed settings</b>															
40.	<b>Rotary eggbeater</b>	unit	2	2	2	2	2	2	2	2	2	2	2	2	2	24
41.	<b>Digital Weight Scale</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
42.	<b>Tabletop Oven</b>	Unit	1	1	1	1	1	1	1	1	1	1	1	1	1	12
43.	<b>Timer</b>	unit	1	1	1	1	1	1	1	1	1	1	1	1	1	12
44.	<b>Half Sheet Pan</b>	unit	2	2	2	2	2	2	2	2	2	2	2	2	2	24
45.	<b>Cupcake baking tray (6 holes)</b>	unit	2	2	2	2	2	2	2	2	2	2	2	2	2	24
46.	<b>Pie Cutter</b>	unit	2	2	2	2	2	2	2	2	2	2	2	2	2	24
47.	<b>Cooling Racks</b>	unit	2	2	2	2	2	2	2	2	2	2	2	2	2	24
48.	<b>Cake decorating</b>	Unit	2	2	2	2	2	2	2	2	2	2	2	2	2	24
49.	<b>Cheese Cloth</b>	Pc	2	2	2	2	2	2	2	2	2	2	2	2	2	24
50.	<b>Cookie press</b>	Set	1	1	1	1	1	1	1	1	1	1	1	1	1	12
51.	<b>Coupler</b>	Set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
52.	<b>Mixing Bowls 3-sizes</b>	Set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
53.	<b>Parchment Paper/ Baking Paper</b>	roll	2	2	2	2	2	2	2	2	2	2	2	2	2	24
54.	<b>Pastry Brush</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
55.	<b>Pastry Mat</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
56.	<b>Pastry tubes</b>	pc	3	3	3	3	3	3	3	3	3	3	3	3	3	36

57.	<b>Piping bag</b>	pac k	1	1	1	1	1	1	1	1	1	1	1	1	1	12
58.	<b>Scraper</b>	unit	2	2	2	2	2	2	2	2	2	2	2	2	2	24
59.	<b>Set of 3 Fine Mesh Stainless Steel Strainers (5"-7"- 8"-)</b>	Set	1	1	1	1	1	1	1	1	1	1	1	1	1	12
60.	<b>Set of Large and Small Balloon Whisk/Wire Whisk</b>	Set	1	1	1	1	1	1	1	1	1	1	1	1	1	12
61.	<b>Silicone/ Rubber One Piece Design Spatula</b>	Unit	2	2	2	2	2	2	2	2	2	2	2	2	2	24
62.	<b>Coffee Mugs (Duralux or ceramics)</b>	pcs	6	6	6	6	6	6	6	6	6	6	6	6	6	72
63.	<b>Cutting board</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
64.	<b>Dish towels</b>	pac k	1	1	1	1	1	1	1	1	1	1	1	1	1	12
65.	<b>Glass rack</b>	set	1	1	1	1	1	1	1	1	1	1	1	1	1	12
66.	<b>Glasses (Duralux or Glass)</b>	pc	6	6	6	6	6	6	6	6	6	6	6	6	6	72
67.	<b>Plate rack</b>	set	1	1	1	1	1	1	1	1	1	1	1	1	1	12
68.	<b>Plates 8-inches diameter</b>	pc	6	6	6	6	6	6	6	6	6	6	6	6	6	72

	(Duralex or ceramics)															
69.	<b>Saucers 5-inches diameter (Duralex or ceramics)</b>	Pc	6	6	6	6	6	6	6	6	6	6	6	6	6	72
70.	<b>Oven thermometer</b>	unit	1	1	1	1	1	1	1	1	1	1	1	1	1	12
71.	<b>Pans</b>	Set	1	1	1	1	1	1	1	1	1	1	1	1	1	12
72.	<b>Serving Spoon</b>	pc	6	6	6	6	6	6	6	6	6	6	6	6	6	72
73.	<b>Utility tray</b>	pc	3	3	3	3	3	3	3	3	3	3	3	3	3	36
74.	<b>Serving tray</b>	pc	3	3	3	3	3	3	3	3	3	3	3	3	3	36
75.	<b>Gas Tank (11 kgs)</b>	set	1	1	1	1	1	1	1	1	1	1	1	1	1	12
76.	<b>Wok, medium</b>	Pcs	2	2	2	2	2	2	2	2	2	2	2	2	2	24
77.	<b>Wok, small</b>	pcs	2	2	2	2	2	2	2	2	2	2	2	2	2	24
78.	<b>Stainless Steel 10" Skillet (frying pan)</b>	units	2	2	2	2	2	2	2	2	2	2	2	2	2	24
79.	<b>Fish poacher, medium</b> Stainless Steel Fish	sets	2	2	2	2	2	2	2	2	2	2	2	2	2	24

**SUPPLY AND DELIVERY OF SPORTS EQUIPMENT FOR LEARNERS WITH DISABILITIES FOR DEPED-CAR  
LOT 3**

No.	Item Name	Unit	Qty	Recipient Schools												Total
				Abra		Apayao		Baguio	Benguet		Ifugao	Kalinga	Mt. Prov.		Tabuk	
				La Paz IS	Bangued West CS	Bacsay ES	Malama IS	Baguio SPED Center	Benguet SPED Center	Virac IS	Lamut CS	Rizal CS	Mt. Prov. SPED Center	Bauko CS	Bulanao CS	
1.	<b>Goal Ball Set</b>	set	1	1	1	1	1	1	1	1	1	1	1	1	1	12
2.	<b>Bocce Ball Set</b>	set	1	1	1	1	1	1	1	1	1	1	1	1	1	12
3.	<b>Trampoline</b>	unit	2	2	2	2	2	2	2	2	2	2	2	2	2	24
4.	<b>Yoga Ball</b>	pc	3	3	3	3	3	3	3	3	3	3	3	3	3	36
5.	<b>Shot puts3 shot puts each kilo per set</b>	set	12	12	12	12	12	12	12	12	12	12	12	12	12	144
6.	<b>12" cone markers</b>	pc	3	3	3	3	3	3	3	3	3	3	3	3	3	36
7.	<b>Goggles</b>	Pair	6	6	6	6	6	6	6	6	6	6	6	6	6	72
8.	<b>Swimming caps</b>	set	6	6	6	6	6	6	6	6	6	6	6	6	6	72
9.	<b>Starting Pistol</b>	unit	1	1	1	1	1	1	1	1	1	1	1	1	1	12
10.	<b>Speaker</b>	unit	1	1	1	1	1	1	1	1	1	1	1	1	1	12
11.	<b>Kick Board</b>	unit	6	6	6	6	6	6	6	6	6	6	6	6	6	72
12.	<b>Flippers</b>	unit	6	6	6	6	6	6	6	6	6	6	6	6	6	72
13.	<b>Tether</b>	unit	3	3	3	3	3	3	3	3	3	3	3	3	3	36
14.	<b>Compass</b>	set	1	1	1	1	1	1	1	1	1	1	1	1	1	12

**SUPPLY AND DELIVERY OF MANIPULATIVES FOR LEARNERS WITH DISABILITIES FOR DEPED-CAR  
LOT 4**

No.	Item Name	Unit	Qty	Recipient Schools												Total
				Abra		Apayao		Baguio	Benguet		Ifugao	Kalinga	Mt. Prov.		Tabuk	
				La Paz IS	Bangued West CS	Bacsay ES	Malama IS	Baguio SPED Center	Ben guet SPE D Cent er	Vira c IS	Lamut CS	Rizal CS	Mt. Prov. SPED Center	Bauko CS	Bulanao CS	
1.	<b>Beads and Barrel</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
2.	<b>Threading Shape</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
3.	<b>Odyssey Loop</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
4.	<b>Shape Sorter</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
5.	<b>Buckle Pillow Toy</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
6.	<b>Bolts and Nuts building Blocks</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
7.	<b>Building Blocks</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
8.	<b>Sorting Balls in Cups</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
9.	<b>Transfer Activity Set</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
10.	<b>Forms Set</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36

11.	<b>Sensory Mats</b>	Set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
12.	<b>Magnetic dry erase boards (8x12) with whiteboard markers</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
13.	<b>Plastic clock (manipulative)</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
14.	<b>Human body anatomy model</b>	Set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
15.	<b>Traffic cones (set of 5 cones)</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
16.	<b>Number and Counters</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
17.	<b>Unit Division Board</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
18.	<b>Number Braille Blocks</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
19.	<b>Counter Shape Black Base</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
20.	<b>Multiplication Board Set</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
21.	<b>Puzzle Boards - World Map 7 Continents</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
22.	<b>Alphabet Puzzle</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36

	(upper and lower case)															
23.	<b>Sandpaper Letters and Numbers</b> (upper and lower case)	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
24.	<b>Wooden Abacus</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
25.	<b>Alphabet and Number Blocks</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
26.	<b>Number Blocks</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
27.	<b>Wooden Phonetic Reading Blocks</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
28.	<b>Wooden Shape Sorting Cubes</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
29.	<b>Wooden Toys Counting Math</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
30.	<b>Educational Wooden Clock with Movable Hands</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
31.	<b>100 Peg Board</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36

32.	<b>Wooden Clock</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
33.	<b>Knobbles Cylinders</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
34.	<b>Articulation Picture Cards</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
35.	<b>Tower of Hanoi or Geometric Stacker</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
36.	<b>Magnetic Alphabet</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
37.	<b>Geo Board</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
38.	<b>Decimal Box</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
39.	<b>Fraction Circles</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
40.	<b>Counting Bowl with Tongs</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
41.	<b>Linking Cubes Card</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
42.	<b>Algebra Tiles</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
43.	<b>Base Ten Blocks for Math</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
44.	<b>Cuisenaire rods</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
45.	<b>Fraction Tiles &amp; Fraction Circles</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36

46.	<b>Squared Paper Worksheets (for Dyslexic)</b>	Set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
47.	<b>Life Cycle Puzzle Board (Bird, Butterfly, Mosquito, Chicken, Frog, Fly)</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
48.	<b>Parts of Different Animal Puzzle Board (Fish, Turtle, Bird, Frog, Horse)</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
49.	<b>Parts of a Tree, Leaf, Flower Puzzle Board</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
50.	<b>Fruits and Vegetable Puzzle Board</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
51.	<b>Weather Puzzle Series</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
52.	<b>Community Helpers Puzzle Series</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
53.	<b>Emotion Puzzle Board</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
54.	<b>Tactile Globe</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24

55.	<b>Tactile Maps- Philippine Map, Asia, Continents of the World</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
56.	<b>Braille Taptilo Kit</b>	set	3	3	3	3	3	3	3	3	3	3	3	3	3	36
57.	<b>FSL Posters/ Pamphlet/Cards</b>	set	12	12	12	12	12	12	12	12	12	12	12	12	12	144
58.	<b>Writing Slate and Stylus Comes with 1 durable classic stylus</b>	set	12	12	12	12	12	12	12	12	12	12	12	12	12	144
59.	<b>Writing Guides for Learners with Low Vision</b>	unit	4	4	4	4	4	4	4	4	4	4	4	4	4	48
60.	<b>Talking Scientific Calculator</b>	set	6	6	6	6	6	6	6	6	6	6	6	6	6	72
61.	<b>Cranmer Abacus</b>	unit	4	4	4	4	4	4	4	4	4	4	4	4	4	48
62.	<b>Picture Exchange Communication System (PECS)</b>	set	1	1	1	1	1	1	1	1	1	1	1	1	1	12
63.	<b>Braille Scrabble</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24

64.	<b>Braille Chess Set</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
65.	<b>Chess clock</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
66.	<b>Stopwatch</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
67.	<b>Meter Tape Measure Measuring tape 100-meters length</b>	unit	1	1	1	1	1	1	1	1	1	1	1	1	1	12
68.	<b>Whistle</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24

**SUPPLY AND DELIVERY OF MUSICAL INSTRUMENTS FOR LEARNERS WITH DISABILITIES FOR DEPED-CAR  
LOT 5**

No.	Item Name	Unit	Qty	Recipient Schools												Total
				Abra		Apayao		Baguio	Benguet		Ifugao	Kalinga	Mt. Prov.		Tabuk	
				La Paz IS	Bangued West CS	Bacsay ES	Malama IS	Baguio SPED Center	Benguet SPED Center	Virac IS	Lamut CS	Rizal CS	Mt. Prov. SPED Center	Bauko CS	Bulanao CS	
1.	<b>Keyboard Instrument - 5-octaves</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
2.	<b>Cymbals</b>	set	4	4	4	4	4	4	4	4	4	4	4	4	4	48
3.	<b>Tambourine</b>	set	4	4	4	4	4	4	4	4	4	4	4	4	4	48
4.	<b>Drums kit 1 set</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
5.	<b>Percussion Kit</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
6.	<b>Guitar</b>	set	4	4	4	4	4	4	4	4	4	4	4	4	4	48

**SUPPLY AND DELIVERY OF GARDEN & CONSTRUCTION TOOLS & MATERIALS FOR LEARNERS WITH DISABILITIES FOR  
DEPED-CAR  
LOT 6**

No.	Item Name	Unit	Qty	Recipient Schools												Total
				Abra		Apayao		Baguio	Benguet		Ifugao	Kalinga	Mt. Prov.		Tabuk	
				La Paz IS	Bangued West CS	Bacsay ES	Malama IS	Baguio SPED Center	Ben guet SPED Center	Vira c IS	Lamut CS	Rizal CS	Mt. Prov. SPED Center	Bauko CS	Bulanao CS	
1.	<b>Watering Can</b>	unit	4	4	4	4	4	4	4	4	4	4	4	4	4	48
2.	<b>Sprinklers</b>	unit	4	4	4	4	4	4	4	4	4	4	4	4	4	48
3.	<b>Step Ladder</b>	Set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
4.	<b>Garden Gloves</b>	set	4	4	4	4	4	4	4	4	4	4	4	4	4	48
5.	<b>Pruning Shears/Hand Pruners/</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
6.	<b>Garden Hoe</b>	pc	2	2	2	2	2	2	2	2	2	2	2	2	2	24
7.	<b>Rake</b>	pc	2	2	2	2	2	2	2	2	2	2	2	2	2	24
8.	<b>Shovels and spades</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
9.	<b>Garden hand trowel-shovel</b>	unit	48	4	4	4	4	4	4	4	4	4	4	4	4	48
10.	<b>Hor-Hori (Japanese Garden Knife)</b>	unit	4	4	4	4	4	4	4	4	4	4	4	4	4	48
11.	<b>Picking knife</b>	unit	4	4	4	4	4	4	4	4	4	4	4	4	4	48

12.	<b>Sandpaper</b>	pc	4	4	4	4	4	4	4	4	4	4	4	4	4	48
13.	<b>Steel Measuring Tape</b>	unit	4	4	4	4	4	4	4	4	4	4	4	4	4	48
14.	<b>Chisel (3 pcs/set)</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
15.	<b>Screwdriver (12 pcs/set)</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
16.	<b>L Squares</b>	pc	4	4	4	4	4	4	4	4	4	4	4	4	4	48
17.	<b>Rasps (3 pcs/set)</b>	set	4	4	4	4	4	4	4	4	4	4	4	4	4	48
18.	<b>Clamps (2 pcs/set)</b>	set	4	4	4	4	4	4	4	4	4	4	4	4	4	48
19.	<b>Planes</b>	unit	4	4	4	4	4	4	4	4	4	4	4	4	4	48
20.	<b>Hammer</b>	unit	4	4	4	4	4	4	4	4	4	4	4	4	4	48
21.	<b>Hand Saw</b>	unit	4	4	4	4	4	4	4	4	4	4	4	4	4	48
22.	<b>Hand drills</b>	set	2	2	2	2	2	2	2	2	2	2	2	2	2	24
23.	<b>Nail Set</b>	set	4	4	4	4	4	4	4	4	4	4	4	4	4	48
24.	<b>Nail Puller</b>	set	4	4	4	4	4	4	4	4	4	4	4	4	4	48
25.	<b>Files</b>	set	4	4	4	4	4	4	4	4	4	4	4	4	4	48
26.	<b>Scriber</b>	unit	2	2	2	2	2	2	2	2	2	2	2	2	2	24

## List of all Ongoing Government & Private Contracts including contracts awarded but not yet started

Business Name : \_\_\_\_\_

Business Address : \_\_\_\_\_

Name of Contract	Date of Contract	a. Owner's Name b. Address c. Telephone Nos.	Contract Duration	Date of Delivery	Kinds of Goods	Amount of Contract	Value of Outstanding Contracts
<b>GOVERNMENT</b>							
<b>PRIVATE</b>							

Note:

State all ongoing contracts including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid. Statement must be supported by a copy of the following:

1. Notice of Award or Contract
2. Notice to Proceed issued by the owner (*in the absence of Notice to Proceed (NTP), execute an affidavit that the bidder asserted all efforts in requesting the NTP. Indicate the circumstances and state the reasons. Attach letter of request as supporting documents*).
3. *In case of contracts awarded **but not yet started** it is sufficient to submit Notice of Award or Contract. However, indicate in the form the status of the contract execution.*

Submitted by: \_\_\_\_\_  
(Printed Name and Signature)

Designation : \_\_\_\_\_

Date : \_\_\_\_\_

*NOTE: Use another sheet if necessary*

## Statement of Single Largest Completed Contract (SLCC) Similar to the Contract to be Bid

Business Name : \_\_\_\_\_

Business Address : \_\_\_\_\_

Name of Contract	Date of Contract	a. Owner's Name b. Address c. TelephoneNos.	Contract Duration	Date of Delivery	Kinds of Goods	Amount of Completed Contract

Note: This statement shall be supported with:

1. Certificate of End-users Acceptance **and** Sales Invoice **or** Delivery Receipt

Submitted by : \_\_\_\_\_  
(Printed Name and Signature)

Designation : \_\_\_\_\_

Date : \_\_\_\_\_

**Omnibus Sworn Statement (Revised)**  
*[shall be submitted with the Bid]*

REPUBLIC OF THE PHILIPPINES )  
CITY/MUNICIPALITY OF \_\_\_\_\_ ) S.S.

**AFFIDAVIT**

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. *[Select one, delete the other:]*

*[If a sole proprietorship:]* I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

*[If a partnership, corporation, cooperative, or joint venture:]* I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. *[Select one, delete the other:]*

*[If a sole proprietorship:]* As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

*[If a partnership, corporation, cooperative, or joint venture:]* I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, **by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;**

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. *[Select one, delete the rest:]*

*[If a sole proprietorship:]* The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

*[If a partnership or cooperative:]* None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or

the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

*[If a corporation or joint venture:]* None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and
8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
  - a. Carefully examining all of the Bidding Documents;
  - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
  - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
10. **In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.**

IN WITNESS WHEREOF, I have hereunto set my hand this \_\_\_ day of \_\_\_, 20\_\_ at \_\_\_\_\_, Philippines.

*[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]*

*[Insert signatory's legal capacity]*

Affiant

**[Jurat]**

*[Format shall be based on the latest Rules on Notarial Practice]*

Project Identification No. \_\_\_\_\_

**Eligibility Form**

**CERTIFICATE OF NET FINANCIAL CONTRACTING CAPACITY**

(Please show computation)

This is to certify that our Net Financial Contracting Capacity (NFCC) is Philippine Pesos \_\_\_\_\_ (P= \_\_\_\_\_) which is at least equal to the total ceiling price of the services we are bidding. The amount is computed as follows:

<b>Particulars</b>	<b>Amount</b>
Current Assets	
Less Current Liabilities	
Balance	
Multiplied by 15	15
Product	
Less on going (C)	
NFCC	

Where:

C = value of all outstanding or uncompleted portions of contracts/projects under ongoing contracts, including awarded contracts yet to be started coinciding with the contract to be bid.

This \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

(Company Authorized Representative)

NAME :  
DESIGNATION

**Bid Form for the Procurement of Goods**  
*[shall be submitted with the Bid]*

---

**BID FORM**

Date : \_\_\_\_\_  
 Project Identification No. : \_\_\_\_\_

To: *[name and address of Procuring Entity]*

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to *[supply/deliver/perform]* *[description of the Goods]* in conformity with the said PBDs for the sum of *[total Bid amount in words and figures]* or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: *[specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties]*, which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

*[Insert this paragraph if Foreign-Assisted Project with the Development Partner:*

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address of agent	Amount and Purpose of Commission or gratuity
---------------------------	--


*(if none, state “None”)* ]

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of *[name of the bidder]* as evidenced by the attached *[state the written authority]*.

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name: \_\_\_\_\_

Legal capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

Date: \_\_\_\_\_

## **Bid Securing Declaration Form**

*[shall be submitted with the Bid if bidder opts to provide this form of bid security]*

---

REPUBLIC OF THE PHILIPPINES)  
CITY OF \_\_\_\_\_) S.S.

### **BID SECURING DECLARATION** **Project Identification No.: *[Insert number]***

To: *[Insert name and address of the Procuring Entity]*

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
  - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
  - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
  - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this \_\_\_\_ day of *[month]* *[year]* at *[place of execution]*.

*[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]*

*[Insert signatory's legal capacity]*

Affiant

**[Jurat]**

*[Format shall be based on the latest Rules on Notarial Practice]*

**Price Schedule for Goods Offered from Within the Philippines**  
*[shall be submitted with the Bid if bidder is offering goods from within the Philippines]*

**For Goods Offered from Within the Philippines**

Name of Bidder \_\_\_\_\_ Project ID No. \_\_\_\_\_ Page \_\_\_ of \_\_\_

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit  (col 5+6+7+8)	Total Price delivered Final Destination  (col 9) x (col 4)

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

# *Price Schedule for Goods Offered from Abroad*

*[shall be submitted with the Bid if bidder is offering goods from Abroad]*

## *For Goods Offered from Abroad*

Name of Bidder \_\_\_\_\_ Project ID No. \_\_\_\_\_ Page \_\_\_ of \_\_\_

1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place  (specify border point or place of destination)	Total CIF or CIP price per item  (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

